



EVERYTHING THAT KEEPS THE JOURNEY MOVING.

Trusted Airxcel aftermarket brands for
RV comfort, care, repair, replacement,
and upgrade opportunities.

2026-27

**AFTERMARKET + DISTRIBUTOR
SHOW EDITION**



AFTERMARKET SUPPORT FOR THE FULL RV EXPERIENCE

Life on the road depends on more than one product, one category, or one brand. It takes the systems that cool the cabin, move the air, protect the roof, power the essentials, heat the water, warm the RV, shade the campsite, support the entry, and make the RV feel ready for the next trip.

The Airxcel family of aftermarket brands brings those solutions together in one place, giving consumers, dealers, distributors, and service teams a clearer way to find the parts, upgrades, and product categories that keep RV life moving.

One family of brands.
More ways to support the journey.

Coleman-Mach



Suburban



dacor products



united shade



InVision

MAXXAIR



VELARIUM

TABLE OF CONTENTS

Coleman-Mach, An Airxcel Brand.....	4
Legacy Models	4
Climate Control Accessories.....	6
Everest VS-18 Models.....	10
VS-14 Models.....	11
MACH C Series	12
Maxxair, An Airxcel Brand.....	14
Maxxfans.....	14
Vent Covers.....	17
Dicor Products, An Airxcel Brand.....	18
Roof Coating Systems.....	18
Kits & Adhesives + Sealants.....	20
Roofing Systems + Membranes.....	21
Exterior Cleaning	22
Dicor Service Club.....	23
Dicor Power.....	24
United Shade, An Airxcel Brand.....	24
InVision, An Airxcel Brand.....	25
Voyager Universal Toilets.....	25
Water Pumps.....	25
Appliances.....	26
Suburban, An Airxcel Brand	28
Advantage Tank and Tankless Water Heaters	28
Furnaces.....	30
LP Gas Accessories	31
Composite Steps.....	32
Velarium, An Airxcel Brand	36
Powered Awnings.....	36
Replacement Canopies.....	37
Drop Ship Program + Slide-Out Topper Kits	38
Cut-to-Fit Slide-Out Awning Replacement Fabrics	40
Cut To Fit Patio Awning Replacement Tubes + Fabrics	40
Additional Resources	41



LEGACY MODELS

ROOFTOP AIR CONDITIONERS, HEAT PUMPS + ACCESSORIES

THE DEPTH, FLEXIBILITY AND PROVEN PERFORMANCE BEHIND RV COMFORT.

NEW SHROUD



MEDIUM PROFILE

	H	W	L
White/Black	13"	26.8"	38.5"
Black/Black	13"	26.8"	38.5"



LOW PROFILE

	H	W	L
Textured	11.8"	26.1"	38.0"
Polished	11.9"	27.9"	37.8"



ULTRA -LOW PROFILE

	H	W	L
Textured	8.25"	28.4"	41.1"

SIGNATURE SERIES AIR CONDITIONERS

MFG #	PROFILE	DESCRIPTION
38204-064	Medium	MACH 15, A/C - White/Black
38204-067	Medium	MACH 15, A/C - Black/Black
38203-064	Medium	MACH 3 Plus, A/C - White/Black
38203-067	Medium	MACH 3 Plus, A/C - Black/Black
35203-0762	Low	MACH 10, A/C - Textured White
35203-0792	Low	MACH 10, A/C - Textured Black
35204-0762	Low	MACH 10, A/C - Textured White
35204-0752	Low	MACH 10, A/C - Polished White
35204-0782	Low	MACH 10, A/C - Polished Black
37203-076	Ultra-Low	MACH 8 Plus, A/C - Textured White
37203-079	Ultra-Low	MACH 8 Plus, A/C - Textured Black
37204-076	Ultra-Low	MACH 8 Plus, A/C - Textured White
37204-079	Ultra-Low	MACH 8 Plus, A/C - Textured Black
37201-076	Ultra-Low	MACH 8 Cub Plus, A/C - Textured White

SIGNATURE SERIES AIR CONDITIONERS WITH CONDENSATE PUMP

37223-076	Ultra-Low	MACH 8 Plus, A/C, Condensate Pump - Textured Black
37224-079	Ultra-Low	MACH 8 Plus, A/C, Condensate Pump - Textured Black

SIGNATURE SERIES HEAT PUMPS

38004-064	Medium	MACH 15 Heat Pump, - White/Black
38004-067	Medium	MACH 15 Heat Pump, - Black/Black
35004-0762	Low	MACH 10 Heat Pump, - Textured White
35004-0792	Low	MACH 10 Heat Pump, - Textured Black
37004-076	Ultra-Low	MACH 8 Plus Heat Pump, - Textured White
37004-079	Ultra-Low	MACH 8 Plus Heat Pump, - Textured Black

Air Conditioners and Heat Pumps feature a 2-YEAR Limited Warranty

SIGNATURE SERIES HEAT PUMPS WITH CONDENSATE PUMP

MFG #	PROFILE	DESCRIPTION
37024-076	Ultra-Low	MACH 8 Plus Heat Pump, - Textured White
37024-079	Ultra-Low	MACH 8 Plus, Heat Pump, - Textured Black
37023-076	Ultra-Low	MACH 8 Plus Heat Pump, - Textured White

QUIET SERIES AIR CONDITIONERS

38204-0640	Medium	MACH 15 DQ, Ducted A/C - White/Black
38204-0670	Medium	MACH 15 DQ, Ducted A/C - Black/Black
38204-0643	Medium	MACH 15 NDQ, Non-Ducted A/C - White/Black
38204-0673	Medium	MACH 15 NDQ, Non-Ducted A/C - Black/Black
38203-0640	Medium	MACH 3 DQ, Ducted A/C - White/Black
38203-0670	Medium	MACH 3 DQ, Ducted A/C - Black/Black
38203-0643	Medium	MACH 3 NDQ, Non-Ducted A/C - White/Black
38203-0673	Medium	MACH 3 NDQ, Non-Ducted A/C - Black/Black
35203-0754	Low	MACH 10 DQ, Ducted A/C - Polished White
35203-0784	Low	MACH 10 DQ, Ducted A/C - Polished Black
35203-0793	Low	MACH 10 NDQ, Non-Ducted A/C - Textured Black
35203-0753	Low	MACH 10 NDQ, Non-Ducted A/C - Polished White
35203-0783	Low	MACH 10 NDQ, Non-Ducted A/C - Polished Black

QUIET SERIES AIR CONDITIONERS WITH SOFT START

35203-0993	Low	MACH 10 NDQ, Non-Ducted A/C, Soft Start - Textured Black
------------	-----	--

QUIET SERIES POWERSAVER AIR CONDITIONERS

38209-0640	Medium	MACH 15 Quiet/PowerSaver, Ducted A/C - White/White
38209-0670	Medium	MACH 15 Quiet/PowerSaver, Ducted A/C - Black/Black
38208-0640	Medium	MACH 3 Quiet/PowerSaver, Ducted A/C - White/White
38208-0670	Medium	MACH 3 Quiet/PowerSaver, Ducted A/C - Black/Black
38207-0640	Medium	MACH 1 Quiet/PowerSaver, Ducted A/C - White/White
38207-0670	Medium	MACH 1 Quiet/PowerSaver, Ducted A/C - Black/Black

QUIET SERIES HEAT PUMPS

38009-0974	Medium	MACH 15 DQ, Ducted, Soft Start, Top Down Mounting - Black/Black
35003-0794	Low	Mach 10 DQ, Ducted, Textured Black

QUIET SERIES POWERSAVER HEAT PUMPS

38009-0640	Medium	MACH 15 Quiet/PowerSaver, Ducted Heat Pump - White/Black
38009-0670	Medium	MACH 15 Quiet/PowerSaver, Ducted Heat Pump - Black/Black

ROUGHNECK SERIES Construction equipment, rail, or off-road travel.

38203-0645	Medium	MACH-S 3 ROUGHNECK, White/Black
38203-0675	Medium	MACH 3 ROUGHNECK, Black/Black
38204-0645	Medium	MACH 15 ROUGHNECK, White/Black
37204-0795	Ultra-Low	MACH 8 Plus ROUGHNECK, Textured Black
37224-0795	Ultra-Low	MACH 8 Plus ROUGHNECK, Condensate Pump, Textured Black


MARINEMACH AIR CONDITIONER Baked enamel finish on metal surfaces, flexible hoses and epoxy coated fan motor housing.

38203-0646	Medium	MARINEMACH, A/C, White/Black
------------	--------	------------------------------

From the MACH 15 to the MACH 10 and ultra-low MACH 8 Plus, our Legacy Models makes it easier to choose the right kind of comfort without leaving trusted Coleman-Mach performance behind.


SOFT START KIT

Reduces inrush current and startup amps by up to 75%, helping your AC start smooth — even on limited power.



1497-3601

Soft Start Kit For ALL Coleman-Mach Air Conditioners and Heat Pumps



CEILING ASSEMBLIES

All Ceiling Assemblies are low profile. Features include front and rear dampers and pop-out retainer grilles with washable filters



9430-720

BLUETOOTH

NON-DUCTED Smart Comfort.

Control your RV's climate from your phone with the RV Climate app. Set your temp and relax. AUTO mode takes care of the rest, turning the fan off when it's just right.

- Omni-Directional Louvers
- Back-Lit LCD & Keypad

9430-720 Cool Only White

9430-725 Heat Ready White



9430A717

DELUXE FREE DELIVERY

Heat Strip Ready NON-DUCTED

9430E715 Cool Only White

9430A717 Cool Only Black

9630A715 Heat Pump White



9430-4552

FREE DELIVERY*

WALL THERMOSTAT CONTROLLED PLENUM KIT | Heat Strip Ready NON-DUCTED

9430-4552 Kit White

9430-4572 Kit Black

*Wall thermostat and control package required for installation.



8430A6301

CHILLGrille™*

DUCTED ONLY Straight-thru in roof ducting, front/rear air discharge

8430A633 Cool Only White

8430A634 Cool Only Black

8430A635 Heat Ready White

8430A6301 No Control Box White



9430E7153

DELUXE CHILLGrille™*

FREE Delivery NON-DUCTED

9430E7153 Cool Only Heat Strip Ready White

9430-4553 Wall TStat Controlled* White

*Wall thermostat and control package required for installation.

REPLACEMENT SHROUDS

38203-5341	Medium Profile	MACH 3800, 7000, 8000, 4800 Series - White/Black
38203-5371	Medium Profile	MACH 3800, 7000, 8000, 4800 Series - Black/Black
8335A5261	Medium Profile	MACH 3800, 7000, 8000, 4800 Series - Textured White
8335A5291	Medium Profile	MACH 3800, 7000, 8000, 4800 Series - Textured Black
48204-5261	Medium Profile	MACH 3800, 7000, 8000, 4800 Series - Polished White
48204-5291	Medium Profile	MACH 3800, 7000, 8000, 4800 Series - Polished Black
9203-5261	Medium Profile	MACH 3800, 9000 and 4900 Series - Textured White
9203-5291	Medium Profile	MACH 3800, 9000 and 4900 Series - Textured Black
6727-3761	Medium Profile	MINI-MACH 6700 Series - Textured White
45203-5261	Low Profile	MACH 10 / 3500 Series - Textured White
45203-5291	Low Profile	MACH 10 / 3500 Series - Textured Black
45403-5261	Low Profile	MACH 10 / 3500 Series - Polished White
45403-5291	Low Profile	MACH 10 / 3500 Series - Polished Black
47233-3261	Ultra-Low Profile	MACH 8 Plus / 3700 Series - Textured White
47233-3291	Ultra-Low Profile	MACH 8 Plus / 3700 Series - Textured Black

REPLACEMENT AIR FILTER SETS

UPGRADE to a better breathing experience with MERV6 air filters.



MERVE 6 REPLACEMENT FILTERS

8430-3801	Set of 2 MERV6 rated filters - Ducted
9430-3441	Set of 2 MERV6 rated filters - Non-ducted
8430-3823	Single-pack, 12"x12" Merv9 rated filter

STANDARD MESH REPLACEMENT FILTERS

8430-3692	Set of 2 mesh filters - Ducted
9430-3092	Set of 2 mesh filters - Non-ducted

CONTROL PACKAGES

9330C755 For Heat Ready Ceiling Assemblies Cool Only, Heat Ready


8330-752 For Cool Only Ceiling Assemblies - Cool Only, Control Kit (Image not available)



ELECTRIC HEAT STRIPS

Electric heat kit for heat ready ceiling assemblies.

38203-4551	For use with 38xxx and 48xxx (Medium Profile) and 35xxx and 45xxx (Low Profile) Series Air Conditioners and Heat Pumps
37203-4551	For use with 37xxx and 47xxx (Ultra-Low Profile) Series Air Conditioners and Heat Pumps



Tap. Swipe. Stay in the know.



THERMOSTATS


WIFI TSTAT

9420-391 WiFi Accessible Digital Thermostat - Black



Take Control of Your RV Comfort!

- Adjust your AC and heat remotely where Wi-Fi is available.
- Customize settings with Eco, Comfort, and Scheduling modes.
- View local weather, humidity, and interior temperature on the screen.
- Control your RV's climate from your smartphone.
- Compatible with most Coleman-Mach ACs and heat pumps. Designed to work with our analog control boxes: 8330-752; 9330C755; 9530A751.
- Requires connection to a 2.4GHz Wi-Fi network.


Tap. Swipe.
Speak. Stay in the know.


MULTI-ZONE TSTAT

Controls Air Conditioner, Heat Pump, Heat Strip and Furnace

9420A330 components are not backward compatible and only work with control boxes listed below.



9420A330

9420A330 Multizone Thermostat - Black

9430-754 Cool Only Control Box

9430-758 Cool/Heat Ready Control Box

9630-758 Heat Pump/Heat Ready Control Box

8330-5191 Room Sensor - White

8330-3101 Room Sensor - Black

- Sleek 4.3" Touch Screen
- Fully programmable for cooling and heating, including A/C on-board heat pump, heat strip, and a third party heater
- Single-stage gas heat, 2-stage electric heat from strip or heat pump. Smart programming optimizes heat source when more than one is available.
- Temperature setting range from 40°F - 99°F

This compact touchscreen controller manages cooling for any Coleman-Mach air conditioner and can control a heat pump or electric heating element if equipped. It also integrates with Suburban or third-party in-coach furnaces, using smart algorithms to optimize efficiency when multiple heat sources are available.

Contact your sales representative for additional units, options, and accessories.

BLUETOOTH

Single Stage Thermostats

9430A3543 BLUETOOTH Heat/Cool, 12VDC - Black

9630A3523 BLUETOOTH Heat Pump, 12VDC - White



9430A3543

9630A3523



9420-351

9420-352

9420A382

SINGLE STAGE THERMOSTATS

THIS #	REPLACES	DESCRIPTION
9420-351	7330G3351 7330F3852	Analog, Heat/Cool, 12VDC - Black
9420-352	7330F3361	Analog, Cool Only, 12VDC - Black
9420A382	7330F3361 9430-3392 9430A3392	Digital, Cool Only, 12VDC - Black
9420A382	9630A3351 9630A3361	Digital, Heat Pump, 12VDC - Black, Used with Single Stage Heat Pump Control Package & Gas Furnace
9420A382	9630A3371 9430A3372	Digital, Heat/Cool, 12VDC - Black

CONVERSION KITS

CARRIER BRAND

Ducted Units Only

IF REPLACING A CARRIER ROOFTOP AIR CONDITIONER, ORDER THIS ADAPTER FOR USE WITH ANY COLEMAN-MACH ROOFTOP AIR CONDITIONER.


8330A5221

IF REPLACING A CARRIER ROOFTOP HEAT PUMP, ORDER THIS ADAPTER FOR USE WITH ANY COLEMAN-MACH ROOFTOP HEAT PUMP.

8530A5221

AIR-VANTAGE

Dometic™ to Coleman-Mach ducted ceiling assembly conversion kit for a/c or heat pump replacement.

ONLY FOR USE with existing Dometic™ CT wall thermostat, control box, and ducted ceiling plenum.


9330A5221

Dometic to Coleman-Mach Conversion Kit

STEP 1: CHOOSE YOUR DESIRED ROOFTOP AIR CONDITIONER FROM THE PREVIOUS PAGES

STEP 2: Choose (1) Free Delivery Ceiling Assembly (FDCA) [Required For Non-Ducted Ceiling Configuration]

9430-720	Fits All Profiles	Bluetooth Free Delivery Ceiling Assembly, Cool Only (FDCA) - White
9430-725	Fits All Profiles	Bluetooth Free Delivery Ceiling Assembly, Heat Ready (FDCA) - White
9430A717	Fits All Profiles	DELUXE Heat Ready Free Delivery Ceiling Assembly (FDCA) - Black
9430E715	Fits All Profiles	DELUXE Heat Ready Free Delivery Ceiling Assembly (FDCA) - White
9430E7153	Fits All Profiles	A/C DELUXE CHILLGRILLE Heat Ready Free Delivery Ceiling Assembly -White

OR STEP 2(A):

Choose (1) Non-Ducted Wall Thermostat Controlled (FDCA), (1) Wall T-stat & (1) Control Package

9430-4552	Fits All Profiles	FDCA, Wall Thermostat Controlled , plenum only - White
9430-4572	Fits All Profiles	FDCA, Wall Thermostat Controlled, plenum only - Black
9430-4553	Fits All Profiles	FDCA with Omni-directional Louvers, Wall TStat Controlled, plenum only - White
9420-352	Fits All Profiles	TStat, Analog, Cool Only, 12VDC, Wall Mount - Black
9420-351	Fits All Profiles	TStat, Analog, Heat/Cool, 12VDC, Wall Mount - Black
9420A382	Fits All Profiles	TStat, Digital, Heat/Cool/Cool/Heat Pump/Dry Mode/12VDC, Wall Mount - Black W/Plugs
9420-391	Fits All Profiles	WiFi Accessible Digital Thermostat - Black
8330-752	Fits All Profiles	Control Package - Cool Only
9330C755	Fits All Profiles	Control Package - Heat Ready A/C

OR STEP 2(B): Choose (1) Lateral Ducted Ceiling Assembly, Side Air Discharge & (1) Wall T-Stat

8430A633	Fits All Profiles	CHILLGRILLE, Cool Only, White
8430A634	Fits All Profiles	CHILLGRILLE, Cool Only, Black
8430A635	Fits All Profiles	CHILLGRILLE, Heat Ready, White
8330A763	Fits All Profiles	Manual Control Ducted ADB, Cool Only, White (no thermostat required)
9420-352	Fits All Profiles	TStat, Analog, Cool Only, 12VDC, Wall Mount - Black
9420-351	Fits All Profiles	TStat, Analog, Heat/Cool, 12VDC, Wall Mount - Black
9420A382	Fits All Profiles	TStat, Digital, Heat/Cool/Cool/Heat Pump/Dry Mode/12VDC, Wall Mount - Black W/Plugs
9420-391	Fits All Profiles	WiFi Accessible Digital Thermostat - Black

OR STEP 2(C): Choose (1) 24-V Lateral Ducted Ceiling Assembly & (1) Wall Thermostat - For Park Models Only

8330A743	Fits All Profiles	Ducted Cool Only Ceiling Assembly, 24-V, without Thermostat
7330B3441	Fits All Profiles	Thermostat, Analog, Heat/Cool, 24-V, Wall Mount - White

STEP 3: Additional Options For Air Conditioners

8430A6301	Fits All Profiles	CHILLGRILLE Plenum Only, No Control Package, White, For Straight-thru Ducting
37203-4551	Fits Ultra-Low Profiles	Electric Heat Kit For 37xxx Ultra-Low Profile units Only
38203-4551	Fits Med & Low Profiles	Electric Heat Kit For 38xxx Medium and 35xxx Low Profile units Only
8333-3211	Fits All Profiles	9 Inch Long Bolt Package - 4 Pack

STEP 4: ENHANCEMENTS / ACCESSORIES

1497-3601	Fits All Profiles	Coleman-Mach Compressor Soft Start Kit
9430-3441	Fits All Profiles	MERV 6 Rated Ducted Ceiling Assembly Air Filters, 2-Pack
8430-3801	Fits All Profiles	MERV 6 Rated Non Ducted Ceiling Assembly Air Filters, 2-Pack
47233-4601	Fits Ultra-Low Profiles	iWave-M Air Purification System, 37xxx Ultra-Low Profile Models
48203-4601	Fits Med & Low Profiles	iWave-M Air Purification System, 35xxx Low Profile & 38xxx Medium Profile Models

HEAT PUMP OPTIONS

STEP 1: CHOOSE YOUR DESIRED ROOFTOP HEAT PUMP FROM THE PREVIOUS PAGES

STEP 2: Choose (1) Free Delivery Ceiling Assembly (FDCA) [Required For Non-Ducted Ceiling Configuration]

9630-725	Fits All Profiles	Bluetooth Free Delivery Ceiling Assembly, Heat Ready, Heat Pump (FDCA) - White
9630A715	Fits All Profiles	DELUXE Heat Pump, Heat Ready, Free Delivery Ceiling Assembly (FDCA) -White

OR STEP 2(A):

Choose (1) Non-Ducted Wall Thermostat Controlled (FDCA) & (1) Wall T-stat & (1) Control Package

9430-4552	Fits All Profiles	Wall Thermostat Controlled (FDCA), plenum only - White
9430-4572	Fits All Profiles	Wall Thermostat Controlled (FDCA), plenum only - Black
9420A382	Fits All Profiles	TStat, Digital, Heat/Cool/Cool/Heat Pump/Dry Mode/12VDC, Wall Mount - Black W/Plugs
9420-391	Fits All Profiles	WiFi Accessible Digital Thermostat - Black
9530A751	Fits All Profiles	Control Package Heat Pump, Heat Ready

OR STEP 2(B): Choose (1) Lateral Ducted Ceiling Assembly, Side Air Discharge & (1) Wall Thermostat

8630A635	Fits All Profiles	CHILLGRILLE, Heat Pump, Heat Ready, White
9420A382	Fits All Profiles	TStat, Digital, Heat/Cool/Cool/Heat Pump/Dry Mode/12VDC, Wall Mount - Black W/Plugs
9420-391	Fits All Profiles	WiFi Accessible Digital Thermostat - Black

STEP 3: Additional Options For Heat Pumps

8430A6301	Fits All Profiles	CHILLGRILLE Plenum Only, No Control Package, White, For Straight-thru Ducting
37203-4551	Fits Ultra-Low Profiles	Electric Heat Kit For Ultra-Low Profile units Only
38203-4551	Fits Med & Low Profiles	Electric Heat Kit For Medium and Low Profile units Only
8333-3211	Fits All Profiles	9 Inch Long Bolt Package - 4 Pack

STEP 4: ENHANCEMENTS / ACCESSORIES

1497-3601	Fits All Profiles	Coleman-Mach Compressor Soft Start Kit
9430-3441	Fits All Profiles	MERV 6 Rated Ducted Ceiling Assembly Replacement Air Filters, 2-Pack
8430-3801	Fits All Profiles	MERV 6 Rated Non Ducted Ceiling Assembly Replacement Air Filters, 2-Pack
47233-4601	Fits Ultra-Low Profiles	iWave-M Air Purification System, 37xxx Ultra-Low Profile Models
48203-4601	Fits Med & Low Profiles	iWave-M Air Purification System, 35xxx Low Profile & 38xxx Medium Profile Models

PARKPAC™ AIR CONDITIONER

A/C for recreational park trailers. (This unit is NON UPS-able)

- Built In Mounting Pad
- Requires 24VAC residential thermostat that have a "C" wire

36413-012 PARKPAC A/C

6633-6151 Ducting
Connector Kit



TWO TON PLUS™ CENTRAL AIR CONDITIONER with HEAT PUMP

Two compressors for powerful cooling and heating! Installs on or underneath the floor of your RV. (This unit is NON UPS-able)

36515-011 TwoTon Plus
A/C with H/P

6795C4351 Lifeline Wiring
Harness




AIR PURIFIERS

The *iWave-M* is an ion-generating bar that emits positive and negative ions as air flows past, purifying the air and killing airborne mold, bacteria and viruses.

48203-4601 - For MEDIUM and LOW profile (MACH 3, 10, and 15)

47233-4601 - For ULTRA-LOW profile (MACH 8)



48 VOLTS. 115 REASONS TO SWITCH!

Advanced patent-pending inverter technology converts 48VDC power into traditional 115VAC cooling — seamlessly and efficiently — so you can enjoy powerful rooftop air conditioning without compromise.

48VDC INVERTER KIT

1460-3701 48VDC Inverter Kit

Contact your sales representative for additional units, options, and accessories.

THE PEAK OF VARIABLE SPEED COMFORT.

The Everest VS-18 is designed to manage changing loads through responsive variable-speed operation.

By adjusting cooling output to current demand, it helps deliver consistent comfort across a range of RV sizes, layouts and operating conditions.



360° INTERIOR AIRFLOW

The compatible ceiling assembly distributes conditioned air outward in every direction.



SOFT START CONFIDENCE

Optimized startup helps reduce initial power demand for generator- and solar-supported travel.



ULTRA-QUIET OPERATION

Designed to preserve the calm inside the RV while comfort keeps moving.

32.5" L × 25.5" W × 12.75" H
68 LB

EVEREST VS-18 AIR CONDITIONER
White/Black Shroud | Model 2111-00471
Black/Black Shroud | Model 2111-00481

EVEREST VS-18 HEAT PUMP

COMING SOON!

COMPATIBLE INTERIOR COMPONENTS
Thermostat

Cool-Only | 2111-0045
Heat/Cool | 2111A0043



Ceiling Assembly

Ducted + Non-Ducted | 2111-0044

POWERFUL WHEN CONDITIONS DEMAND MORE.

VS-14 MODELS

VS SERIES

Coleman-Mach
An AIRXCEL Brand

RESPONSIVE WHEN CONDITIONS CHANGE.

Some of the best RV days refuse to stay predictable.

Choose the VS-14 Air Conditioner for responsive variable-speed cooling or the VS-14 Heat Pump for cooling plus electric cooler-day support. Either way, the system adjusts as conditions change.



VS-14 HEAT PUMP

COMING SOON!

VS-14 AIR CONDITIONER

COMING SOON!

COMPATIBLE INTERIOR COMPONENTS

Thermostat

Cool-Only | 2111-0045 →
Heat/Cool | 2111A0043



Ceiling Assembly

Ducted + Non-Ducted | 2111-0044



A/C OR HEAT PUMP

Choose responsive cooling or add electric heat-pump capability for cooler-day comfort.



SOFT START CONFIDENCE

Optimized startup helps lower initial power demand for smoother, more reliable compressor starts.



MORE SEASON IN THE TRIP

Broader comfort range keeps travel plans open beyond the hottest or cooler parts of the year.

32.5" L × 25.5" W × 12.75" H
64 LB

CHOOSE THE COMFORT THE APPLICATION NEEDS.

Images and illustrations are for representation purposes only. Actual product appearance, features, and functionality may vary from what is shown.

BIG COOL. BUILT TO FIT.

At just 53 pounds, the Coleman-Mach C-10 delivers capable rooftop cooling in a compact package designed for smaller interiors and roof plans where every inch matters.

Its compact dimensions help preserve valuable space for vents, solar panels and other rooftop equipment, while its right-sized performance helps keep smaller RV interiors comfortable.


COMPATIBLE INTERIOR COMPONENTS

Thermostat

Cool-Only | 2111B00351
Heat/Cool | 2111D00101

Ceiling Assembly

Ducted + Non-Ducted | 2111A0003



SPACE-SMART COOLING

Designed to bring capable comfort to smaller interiors and space-conscious applications.



53-POUND DESIGN

A manageable rooftop weight helps simplify handling and installation.



DUCTED OR NON-DUCTED

Ceiling Assembly supports either installation configuration to fit the RV's interior design.

27.5" L × 21.25" W × 12.6" H
53 LB

COMING SOON!

BIG COMFORT. BIG ADVENTURES.

RIGHT IN THE COMFORT ZONE.

MACH C-13.5



EVERY DAY COMFORT. RIGHT SIZED PERFORMANCE.

The Mach C-13.5 brings balanced cooling performance to a wide range of RV interiors.

A practical choice for everyday travel and changing comfort needs.

61 LB

32.5" L x 25.25" W x 12.75" H

COMING SOON!

MACH C-15



HIGHER-CAPACITY COOLING. PRACTICAL PACKAGE.

The Mach C-15 delivers the highest cooling performance in the standard C Series rooftop format.

It brings confident comfort to larger interiors and greater cooling demands.

61 LB

32.5" L x 25.25" W x 12.75" H

COMING SOON!



**INTERIOR
AIR FLOW**



**STANDARD
PROFILE**



**61-LB
DESIGN**

ONE INTERIOR PLATFORM SHARED CONTROLS + AIRFLOW

Common thermostats and ceiling-assembly create a consistent interior comfort experience across the lineup.

COMPATIBLE INTERIOR COMPONENTS

Thermostat

Cool-Only | 2111B00351
Heat/Cool | 2111D00101

Ceiling Assembly

Ducted + Non-Ducted | 2111A0003





	White Lid	Smoke Lid	Controls at Ceiling	Thermostat	Rain Sensor	10 Speed Fan	4 Speed Fan	Exhaust Only	Intake and Exhaust	Manual Opening	Electric Opening	Built-In Rain Shield	Remote Control	Mounting Tabs	Operates with Lid Closed
MAXXFAN - 4 Speed, Exhaust Only															
00B04301K	●		●				●	●		●				●	●
00B04401K		●	●				●	●		●				●	●
MAXXFAN LP (Low Profile) - 4 Speed, Exhaust Only - 2.85” profile when lid is closed															
00-04401M	BLACK LID		●				●	●		●				●	●
MAXXFAN PLUS															
00-04002K	●		●	●			●		●	●				●	●
00-04000K	●		●	●		●			●	●				●	●
00-04500K		●	●	●	●	●			●		●		●	●	●
MAXXFAN DELUXE - with BUILT-IN RAIN SHIELD															
00-05301K	●		●				●	●		●		●			●
00-06401K		●	●				●	●		●		●			●
00-05100K	●		●	●		●			●	●		●			●
00-06200K		●	●	●		●			●	●		●			●
00-07000K	●		●	●		●			●		●	●	●		●
00-07500K		●	●	●		●			●		●	●	●		●

MAXXFAN MINI Plus

12V Exhaust Fan with built-in rain shield and LED lighting

- 6" single speed exhaust fan
- Protects interior from rain, bugs and debris
- Removable screens make cleaning a breeze
- 1-YEAR LIMITED WARRANTY*
- Fits standard 14" x 14" opening

00-03801 MINI Plus, WHITE

00-03851 MINI Plus, BLACK



IT'S NOT JUST AIR - IT'S MAXXAIR.

NEW

MAXxAIR
An AIRXCEL Brand

MAXXFAN DELUXE 11"



SMALLER FOOTPRINT. BIGGER BUILD FREEDOM.

When roof space is limited, the MAXXFAN Deluxe 11" delivers trusted Maxxfan ventilation performance in a smaller footprint — so you can build more of what matters.



COMPACT ROOF FOOTPRINT

Fits 11"x11" openings — ideal for tight roof layouts.



INTAKE + EXHAUST VENTILATION

Powerful two-way airflow. Pull fresh air in and push stale air out.



RAIN OR SHINE PERFORMANCE

Built-in Rain Shield and all-weather ventilation.



AUTO COMFORT CONTROL

Auto-adjusts airflow based on cabin temperature.

FEATURES AT A GLANCE

- THERMOSTAT CONTROL
- ELECRIC OPENING
- REMOTE OPERATION
- EASY INSTALLATION
- MAXXFAN DNA

GREAT FOR

- Class B vans
- Compact trailers
- Small RVs
- Truck campers
- Custom conversions
- Overland-style builds



MAXXFAN PIVOT



DON'T JUST MOVE AIR. AIM IT!

Most rooftop fans move air from one fixed location. We've changed the angle. With a drop-down pivoting fan head, powerful ventilation, and lid-open or lid-closed operation, Pivot gives RVers more control over where comfort goes.



PIVOTING AIRFLOW

Aims airflow toward the comfort zone.



ALL-WEATHER PERFORMANCE

Fanmate-ready with built-in mounting tabs.



OPERATES WITH LID OPEN OR CLOSED

Works as a vent fan or ceiling-style fan.



FOUR FAN SPEEDS

Fine-tune airflow for everyday comfort.

MODEL #	COLOR	WHITE	SMOKE
00-07000C	White		
00-07500C	Smoke		

MODEL #	COLOR	WHITE	SMOKE
00-61000	White		
00-62000	Smoke		

MORE AIRFLOW. LESS ROOF SPACE.

POINT. PIVOT. BREATHE.

Images and illustrations are for representation purposes only. Actual product appearance, features, and functionality may vary from what is shown.

Comfort in the Unexpected.

MAXXAIR
An AIRXCEL Brand

MAXXFAN DOME & DOME +

SMALL SPACE. BIG BREATHING ROOM.

A small ventilation upgrade that makes everyday RV spaces feel fresher, drier, and more comfortable.



Dome Plus Interior with LED lighting



COMPACT 6-INCH DESIGN

Purpose-built exhaust ventilation for smaller rooms and tighter installation areas.



EASY-CLEAN SCREEN

The interior screen removes for faster, more convenient maintenance.



ROOF OR SIDEWALL FIT

Flexible installation helps ventilation reach spaces where traditional rooftop placement may not work.



DOMES PLUS LED OPTION

Integrated lighting adds useful illumination without requiring another ceiling fixture.

00-03812W	DOMES, WHITE
00-03812B	DOMES, BLACK
00-03810W	DOMES Plus, WHITE, w/LED Light
00-03810B	DOMES Plus, BLACK, w/LED Light

BLUETOOTH KIT

THE REMOTE IS ALREADY IN YOUR HAND.

Add smart, wire-free control to compatible MAXXFAN Plus and Deluxe electric-opening fans.



PHONE + TABLET CONTROL

Operate compatible fan functions through a familiar mobile interface.



NO WALL WIRING

Add connected convenience without installing a separate wall-mounted controller.



FOUR CORE FUNCTIONS

Control fan power, lid position, airflow direction, and fan speed.



RETROFIT- FRIENDLY UPGRADE

Bring smart control to compatible electric-opening MAXXFAN systems.

00-03100 Bluetooth Upgrade Kit

LET SMALL SPACES BREATHE!

AIRING ON THE SIDE OF COMFORT!

Breathe Easy. Adventure On!

MAXxAIR
An AIRXCEL Brand

FANMATE




- Hinged hardware - easy for cleaning
- For high-powered ventilation fans
- Optional Bug Screen available
- 6 YEAR LIMITED WARRANTY*

00-955001 White
00-955002 Black
00-955003 Smoke

BUGSCREEN

00-955202 Bug Screen for USE on 00-955001 White and 00-955002 Black
00-955203 Bug Screen for USE on 00-955003 Smoke



MAXXAIR I+



THE ORIGINAL VENT COVER

- For installation on non-powered roof vents
- 6 YEAR LIMITED WARRANTY*

00-933051 Translucent White
00-933052 Black
00-225000 Zero-Leak Kit

MAXXAIR II



- EZClip™ hardware for quick, easy and tool-free installation on MAXXFAN
- For installation on non-powered roof vents and low-powered ventilation fans
- 6 YEAR LIMITED WARRANTY*

00-933081 Translucent White
00-933082 Black
00-933083 Smoke

MAXXAIR MINI


Static Vent with built-in rain shield



COMPACT. COVERED. CAREFREE.

The MAXXAIR Mini Static Vent delivers reliable airflow in a sleek, low-profile design - perfect for bathroom and galley installations. With a 10.5" opening and a manual closing baffle, it gives you control over ventilation while protecting your space from rain, bugs, and debris—whether it's open or closed. Simple, durable, and always road-ready.

1-YEAR LIMITED WARRANTY*



Closed Open

00-03700 White
00-03750 Black

UNIMAXX

Universal Vent Lid Replacement Kit



NO GUESSWORK. JUST A PERFECT FIT.

Say goodbye to the hassle of figuring out the year or brand of your existing vent lid. The UNIMAXX is designed to replace damaged lids on ELIXIR, HENG'S, JENSEN, VENTLINE, and many more - thanks to its universal hinge design. All necessary hardware is included for a quick, secure installation.

6-YEAR LIMITED WARRANTY*



00-335001 White
00-335002 Smoke

MAXXSHADE & MAXXSHADE Plus



TOTAL COMFORT, DAY OR NIGHT!

Block out harsh sunlight and UV rays with ease! Features a fully retractable, spring loaded roller shade with a secure snap-lock closure to keep it neatly in place. Its reflective backing helps block light and reduce heat, all without interfering with the operation of your vent or ventilation fan. Installs easily for instant comfort.

1-YEAR LIMITED WARRANTY*



MAXXSHADE - For non-powered roof vents or 12V powered ventilation fans

00-03900 MAXXSHADE - White

00-03901 MAXXSHADE PLUS - White



MAXXSHADE Plus - For 12V powered ventilation fans with LED Lighting

EASILY INSTALLS into any 14" x 14" opening

THERE'S NO AIR LIKE MAXXAIR!

*Warranty limited to repair part or replacement. Labor not included.

GIVE YOUR RV ROOF A FRESH START.

Bring new life to your RV roof with Dicor's Coating Systems — designed to restore a clean, bright appearance while adding a layer of lasting protection. It's a simple way to renew your roof and extend its life for the journeys ahead.



FOR EPDM & PVC ROOFS

STANDARD ACRYLIC ROOF COATING

A durable barrier with strong UV protection and weather resistance. For best results, use with Dicor Rubber Roof Cleaner/Activator.

Part 1, Prep

RP-CRP-Q	Cleaner/Activator EPDM & PVC use only	1 qt
RP-TPR-Q	Primer - TPO use only	1 qt

COOLCOAT ACRYLIC ROOF COATING

Ceramic microcells reflect heat and cut interior temps by up to 29%, reducing A/C load. Use with Dicor Rubber Roof Cleaner/Activator for best adhesion.

Part 2, Coating

RP-CRC-1	EPDM & PVC use only	1 gal	White
RP-CRCT-1	EPDM & PVC use only	1 gal	Tan
RP-IRC-1	EPDM & PVC use only	1 gal	White
RP-IRCT-1	EPDM & PVC use only	1 gal	Tan
RP-SELRC-1	EPDM & TPO use only	1 gal	White
RP-SELRCT-1	EPDM & TPO use only	1 gal	Tan

FOR METAL ROOFS

ACRYLIC ROOF COATING

Designed for metal RV roofs, this 100% acrylic coating forms a flexible, rubber-like barrier. Arctic White finish reflects heat and boosts appearance.

RP-MRRIP-Q	1 qt	Metal Roof Rust Inhibitor Primer
RP-CRCT-4-1C	50 ft	Coating Ready Cover Tape
RP-MRC-1	1 gal	Elastomeric Roof Coating: White



FOR FIBERGLASS ROOFS

ACRYLIC ROOF COATING

Protects and brightens fiberglass RV roofs with a flexible, heat-reflective finish. Resists mildew and algae. Use with Dicor Fiberglass Clean & Prep for best results.

RP-FCP-1	1 gal	Fiberglass Clean & Prep	—
RP-FRC-1	1 gal	Fiberglass Roof Coating	White
RP-FRCT-1	1 gal	Fiberglass Roof Coating	Tan



CLEAN & PROTECT

NEW!

FOR RV SLIDE-OUTS

RV DRY LUBRICANT

Keep RV slide-outs operating smoothly with this dry lubricant formulated for slide-out rail assemblies. Reduces friction and noise without attracting dirt or debris for clean, long-lasting performance. Ideal for slide-outs, steps, gears, and other metal or plastic RV components. Simple to apply and perfect for routine maintenance.

RP-LUBE160S	16 oz	RV Dry Lubricant
-------------	-------	------------------



ROOF CLEANER AND ROOF-GARD

This two-step system starts with a biodegradable cleaner that lifts dirt and grime without harming your RV roof. Follow with Roof Gard protectant to defend against sun, water, and oxidation. The nonabrasive formula leaves no residue or oily build-up—just a cleaner, longer-lasting finish.

RP-RC160C	16 oz	Cleaner Concentrate
RP-RC320S	32 oz	Cleaner Trigger Spray
RP-RC-1GL	1 gal	Cleaner Trigger Spray Refill
RP-RG320S	32 oz	Roof-Guard Trigger Spray
RP-RG-1GL	1 gal	Roof-Guard Trigger Spray Refill





RV ROOF RENEW KIT

Restore your rubber roof with everything you need in one kit. Covers up to 30 ft. Includes 4 gal. roof coating, cleaner/activator, cover tape, roller, pan, masking tape & instructions. Components also sold separately.

RP-RRK-30	Roof Renew Kit	White
RP-RRKT-30	Roof Renew Kit	Tan

DIFLEX II ROOF INSTALLATION KIT

Includes two-gallons of 901BA water-based bonding adhesive, 150' of butyl tape used to seal around all accessories and molding, and six tubes of lap sealant. Easy to follow instructions.

401-CK	Installation Kit	White (use with BriteTEK™ roofing)
401-CK-D	Installation Kit	Dove (Bright White)
401-CK-T	Installation Kit	Tan
401-CK-G	Installation Kit	Grey
401CK-V	Installation Kit	Ivory

TUFFLEX PVC ROOF INSTALLATION KIT

Includes two-gallons of 935BA water-based bonding adhesive, 150' of butyl tape used to seal around all accessories and molding, six tubes of lap sealant and 3 rolls of 1.5" fleece tape. Easy to follow instructions.

435-CK-W	Installation Kit	White
----------	------------------	-------

EPDM+ ROOF INSTALLATION KIT

Includes two-gallons of 901BA water-based bonding adhesive, 150' of butyl tape used to seal around all accessories and molding, six tubes of self-leveling Ultra sealant, and 1 pint of Ultra Sealant Primer. Easy to follow instructions.

601-CK	Installation Kit	White
601-CK-T	Installation Kit	Tan

REPAIR TAPES

PATCHiT™ ROOF REPAIR KIT

Quickly seals punctures, tears, and breaks in RV and manufactured home roofs. Includes 6" x 9" peel-and-stick EPDM patch and lap sealant. Works on EPDM, TPO, PVC, metal, and fiberglass surfaces.

406-PR	White	PATCHiT
--------	-------	---------



EPDM RUBBER ROOF REPAIR MEMBRANE

Peel-and-stick EPDM rubber patch repairs punctures, tears, and breaks on EPDM, TPO, PVC, metal, and fiberglass roofs. Flexible, self-adhering, and easy to apply.

533RM-6	6" x 25' Roll
533RM-12	12" x 25' Roll



BUTYL TAPE

Perfect for sealing irregular joints and patterns. Continuous roll applies easily with no gaps, skips, or mess. Fast, reliable installation. Rolls Only.

BT-1834-1	Butyl Tape, Single	1/8" x 3/4" x 30'
BT-1834-5	Butyl Tape, 5 PK	1/8" x 3/4" x 30'
BBT-3634-1	Butyl Tape, Black	3/16" x 3/4" x 20'



SEAL-TITE™ SEALING TAPE

Flexible vinyl tape seals leaks fast on EPDM, TPO, PVC, fiberglass, wood, plastic, steel, and aluminum. Weather-resistant and fully cures in 24 hours.

522TPO-4125-1C	4" x 12.5' Roll	White
522TPO-425-1C	4" x 25' Roll	White
522TPO-625-1C	6" x 25' Roll	White
522TPO-450-1C	4" x 50' Roll	White
522TPO-66-1C	6" x 6" Patch	White
522TPO-650-1C	6" x 50' Roll	White
522AF-450-1C	4" x 50' Roll	Foil
522AF-66-1C	6" x 6" Patch	Foil



KITS & ADHESIVES

SEAL-TITE™ AC GASKET REPLACEMENT KIT

Universal AC gasket kit includes self-adhesive gasket, leveling blocks, and compression guides for easy installation. Conforms to roof surfaces for a reliable, waterproof seal.



ACGR-1

SEAL-TITE™ ROOFTOP INSTALL KIT

Now with gunnable butyl! This all-in-one kit includes everything needed to install or replace any RV rooftop accessory—compatible with all roof types and brands.



RA231KIT

Includes Gunnable Butyl, 2 tube of 501LSW, and scraper

SEAL-TITE™ WINDOW RESEAL KIT

Stops leaks and seals new windows with Seal-Tite Foamcore technology. Reseals 6–8 windows. Includes foamcore tape, clear sealant, putty knife, and instructions.



WRK-1

SEAL-TITE™ CORNER SEAL KIT

Everything you need to seal RV corners. Includes two rolls of Corner Seal Tape, six tubes of clear cap sealant, and a putty knife.



CS114Kit 1.25" x 50'

CS112Kit 1.50" x 50'

CS200Kit 2.00" x 50'

SEAL-TITE™ CORNER SEAL

Flexible, pressure-sensitive tape seals smooth or irregular surfaces—even S-locks. Fleece side boosts caulk adhesion. Use with Dicor Cap Sealant for best results.



CS114B-1 1.25" x 50'

CS112B-1 1.50" x 50'

CS200B-1 2.00" x 50'



ROOF SYSTEM BONDING ADHESIVES

Water-based acrylic adhesive with 160 sq. ft. coverage per gallon. Easy to apply and eco-friendly. For absorbent surfaces only—do not use on metal, fiberglass, or membrane-to-membrane.

901BA-1 1 gal EPDM AND TPO ONLY

917BA-5 5 gal EPDM AND TPO ONLY

935BA-1 1 gal TUFFLEX ONLY

CONFIDENCE FROM

SEALANTS

CAP SEALANT-WINDOWS & DOORS

HAPS FREE, UV- and water-resistant sealant for windows, doors, and joints. Fast-drying, easy to apply, and paintable—ideal for bare or repainted surfaces.

351CSCL-1 Clear

351CST-1 Tan

351CSW-1 White

351CSB-1 Black

GUNNABLE BUTYL RUBBER SEALANT

Solvent-release, single-component sealant for watertight seals between overlapping joints. Easy to apply and tool with strong adhesion to clean surfaces.

451BSG-1 Grey

ULTRA SEALANT SYSTEM

High-performance polyether sealant for PVC, TPO, EPDM, metal, fiberglass, and even silicone-coated RV roofs. Priming may be required for some accessories and membranes.

610SASLW-1 White, Self Leveling

651SANSW-1 White, Non Leveling

610SASLT-1 Tan, Self Leveling

651SANST-1 Tan, Non Leveling

RP-USP-P Ultra Sealant Primer

SILICONE SEALANT

A one-part silicone adhesive and sealant designed for kitchen and bath applications. Bonds to fiberglass, glass, aluminum, steel, and select plastics. Long-lasting protection against UV exposure and extreme temperatures.

451SLNSCL-1 Clear

451SLNSW-1 White

NEW!

LAP SEALANT-MOST ROOFING APPLICATIONS

HAPS FREE! Creates a flexible, watertight seal on roof edges, vents, pipes, and screws. Compatible with EPDM, DiFlex II™, Tufflex™, BriTEK™, and more. UV stabilized, color-matched, and won't stain surfaces.

SELF-LEVELING (FOR HORIZONTAL SURFACES)

501LSW-1 White

501LSW-25 White 25 pack

501LSD-1 Dove (Bright White)

501LST-1 Tan

501LSG-1 Grey

501LSV-1 Ivory

501LSB-1 Black

NON-SAG (NOT SELF LEVELING)

551LSW-1 White

551LSD-1 Dove (Bright White)

551LST-1 Tan

551LSG-1 Grey

551LSV-1 Ivory

551LSB-1 Black



ROOFING SYSTEMS AND MEMBRANES

EPDM+ ROOFING SYSTEM 12 YEAR LIMITED WARRANTY

WHITE*	TAN*	Size
EP46W-10	EP46T-10	4'6" x 10' - Slide Out
EP46W-16	EP46T-16	4'6" x 16' - Slide Out
EP95W-21	EP95T-21	9'6" x 21'
EP95W-25	EP95T-25	9'6" x 25'
EP95W-30	EP95T-30	9'6" x 30'
EP95W-35	EP95T-35	9'6" x 35'
EP95W-40	EP95T-40	9'6" x 40'
EP95W-45	EP95T-45	9'6" x 45'
EP95W-50	EP95T-50	9'6" x 50'

Stronger, tougher, cooler. EPDM Plus delivers 28% more tear resistance and 60% more puncture resistance than standard EPDM — without sacrificing flexibility. Its reflective finish helps lower interior temps and reduce A/C strain, while built-in UV and weather resistance fights cracking, fading, and wear. Built for long-term protection and lasting value.

DIFLEX II™ TPO ROOFING 20 YEAR LIMITED WARRANTY

POLAR WHITE*	DOVE* (Bright White)	TAN*	GREY*	IVORY*	Size
DFII85W-21	DFII85D-21	DFII85T-21	DFII85G-21	DFII85V-21	8'6" x 21'
DFII85W-25	DFII85D-25	DFII85T-25	DFII85G-25	DFII85V-25	8'6" x 25'
DFII85W-30	DFII85D-30	DFII85T-30	DFII85G-30	DFII85V-30	8'6" x 30'
DFII85W-35	DFII85D-35	DFII85T-35	DFII85G-35	DFII85V-35	8'6" x 35'
DFII85W-40	DFII85D-40	DFII85T-40	DFII85G-40	DFII85V-40	8'6" x 40'
DFII95W-21	DFII95D-21	DFII95T-21	DFII95G-21	DFII95V-21	9'6" x 21'
DFII95W-25	DFII95D-25	DFII95T-25	DFII95G-25	DFII95V-25	9'6" x 25'
DFII95W-30	DFII95D-30	DFII95T-30	DFII95G-30	DFII95V-30	9'6" x 30'
DFII95W-35	DFII95D-35	DFII95T-35	DFII95G-35	DFII95V-35	9'6" x 35'
DFII95W-40	DFII95D-40	DFII95T-40	DFII95G-40	DFII95V-40	9'6" x 40'
DFII95W-45	DFII95D-45	DFII95T-45	DFII95G-45	DFII95V-45	9'6" x 45'
DFII95W-50	DFII95D-50	DFII95T-50	DFII95G-50	DFII95V-50	9'6" x 50'

FLEECE BACKED TPO ROOFING

(May not be suitable for all applications; use with 401CK Installation Kit)

DFII95WFB-21	White	9'6" x 21'
DFII95WFB-25	White	9'6" x 25'
DFII95WFB-30	White	9'6" x 30'
DFII95WFB-35	White	9'6" x 35'
DFII95WFB-40	White	9'6" x 40'
DFII95WFB-45	White	9'6" x 45'

TUFFLEX PVC ROOFING

LIFETIME LIMITED WARRANTY

TF95W-25	Polar White	9'6" x 25'
TF95W-30	Polar White	9'6" x 30'
TF95W-35	Polar White	9'6" x 35'
TF95W-40	Polar White	9'6" x 40'
TF95W-45	Polar White	9'6" x 45'

SLIDEOUT ROOFING SYSTEMS TPO

DFII46W-10	Polar White	4'6" x 10'
DFII46W-16	Polar White	4'6" x 16'
DFII46D-10	Dove	4'6" x 10'
DFII46D-16	Dove	4'6" x 16'
DFII46T-10	Tan	4'6" x 10'
DFII46T-16	Tan	4'6" x 16'
DFII46V-10	Ivory	4'6" x 10'
DFII46V-16	Ivory	4'6" x 16'

*Color shading shown above are not representative of actual colors.



EXTERIOR WASH

A super concentrated formula that easily and safely lifts away tough dirt and grime, leaving the surface with a spot-free shine! Safe on all RV & car exteriors.

BLACK STREAK REMOVER

Specifically formulated to easily and safely remove stubborn black streaks, road grime and grease from most surfaces. Product is great for use on fiberglass, vinyl, aluminum and painted metal surfaces.

BUG & TAR REMOVER

A powerful, streak-free formula that easily removes bugs, tar and any residual grime without heavy scrubbing. A multi-purpose product great for RV's, trucks, cars and boats.

AWNING CLEANER

This powerful strength awning cleaner is specifically formulated to remove stubborn stains caused by leaves, bird droppings, tree sap and more from your RV awning. Product is great for use on all fabric, vinyl and acrylic awnings.

MOLD & MILDEW

An extra strength cleaner with bleach that will remove unsightly mold and mildew stains without harsh scrubbing! Great for use on RV roof membranes, bathroom tile, grout, tubs, showers and vinyl curtains.

CP-EWC-GL	Exterior Wash Concentrate	1 GAL
CP-BSR320S	Black Streak Remover	32oz SPRAY
CP-BSR-1GL	Black Streak Remover	1 GAL
CP-AC320S	Awning Cleaner	32oz SPRAY
CP-AC-1GL	Awning Cleaner	1 GAL
CP-BTR320S	Bug & Tar Remover	32oz SPRAY
CP-MMR320S	Mold & Mildew Remover	32oz SPRAY



5-SIDED EXTERIOR WASH BRUSH

The exterior five-sided soft bristle brush will gently and safely remove any dirt on an RV's sidewalls and windows. The 5-sides of bristle coverage makes for fast and effective cleaning without worry of missing any nook and cranny.

EXTERIOR WASH BRUSH WITH SQUEEGEE

The exterior soft bristle wash brush with integrated squeegee makes washing an RV a quick and speedy process by incorporating the time saving squeegee to cut back on drying time as well as leaving behind a spot free shine!

ROOF SCRUB BRUSH

The roof scrub brush features a medium bristle that allows for a deeper clean of an RV's roof membrane. The stiffer bristles help scrub the membranes pores and easily lifts away any dirt or mold and mildew.


CP-MB10R	10" Medium Bristle Roof Scrub Brush
CP-SB125E	12" Soft Bristle 5-Sided Exterior Wash Brush
CP-SB10SQE	10" Soft Bristle Exterior Wash Brush W/ Squeegee

UNIVERSAL EXTENSION POLE

Clean Smarter with the Dicor Telescopic Brush Pole

The Dicor CP-3MP extends from 4 to 9 feet, making it easy to clean RV roofs and other large surfaces. Designed to work with Dicor brushes, it features a flow-through design for water and power-wash capability to tackle tough grime. It's a simple, effective tool that makes RV cleaning faster and easier.

CP-3MP	9ft. Telescopic Pole
--------	----------------------



"I've seen a lot of RVs, and nothing keeps 'em looking showroom-sharp like Dicor."

Life on the road gets messy—Dicor's complete line of RV cleaners and brush heads makes cleanup easy. Safe for multiple surfaces, each formula and tool is designed to tackle tough grime and restore a like-new shine from roof to wheels.



dicor SERVICE CLUB

Join today and receive
1,000 BONUS POINTS!

Earn redemption points for every qualifying Dicor roof and membrane installation, excluding warranty replacements.


Redeem your points for Dicor-branded swag and professional tools designed to help your roof replacements run smoothly.

Earning points is easy!

- Once your account is created, scan the sticker that comes with the Dicor roof you will be installing.
- Enter the unique ID on the sticker.
- Affix the sticker to the inside of the coach, near the door or inside a cabinet so the RV owner can identify the type of roof they have in the future.
- The system will automatically award you the points for each SKU entered and add them to your account.
- Start looking for the product stickers in membrane shipping tube starting in 60 days.
- Redeem your points for tools and Dicor swag for your shop.



Scan the QR code to get started and receive your 1,000 bonus points today!



PORTABLE SURGE PROTECTORS

"Protect your gear like a pro. Dicor surge protectors? That's just smart RVing."

Dicor Power by Dicor Products add a level of protection to any RV and helps keep them safe from any poor or faulty electrical conditions. This new line of Surge Protectors from Dicor ranges in joule protection from 1050 joules to 5000 joules. Depending on an RVer's electrical needs, Dicor has you covered - **confidence from the top down!**

30 AMP PLUG RV SURGE PROTECTION

Dicor Power's 30 amp, 125 VAC plug adds a level of protection to your RV up to 1050 Joules. This 30 amp plug analyzer is equipped with easily visible diagnostic lights and incorrect wiring indicators. Limited Lifetime Warranty.

DP-SP30A	30 AMP	1050 JOULES
----------	--------	-------------



30/50 AMP PIGTAIL RV SURGE PROTECTION

Dicor Power's 30 and 50 amp, 125 VAC pigtails are equipped with easily visible diagnostic lights, incorrect wiring indicators, automatic shut off/on, weather resistant covers, metal locking rings and a wire brush for cleaning plug prongs. Limited Lifetime Warranty.

DP-SP30A-P	30 AMP	4200 JOULES
DP-SP50A-P	50 AMP	5000 JOULES



dicor products
An AIRXCEL Brand

united shade®
An AIRXCEL Brand

DON'T DESPAIR - REPAIR!



UNDERSTANDING YOUR PLEATED RV SHADES

Knowing what type of shade is installed in your RV helps ensure you choose the right repair kit color. Here's a quick guide:

Day Shades - Made from sheer fabric, these allow light in while reducing glare. Common in areas where privacy isn't the main concern, such as sunrooms or vans. Transparency varies by fabric.

Day/Night Shades - A two-in-one system featuring a sheer day shade and an opaque night shade. Use the day shade for filtered light or pull down the night shade for full privacy. Each can be positioned independently. Day/Night shades are the most common style in RVs.

Night Shades - Designed for full privacy and light blocking. Fabrics range from standard to blackout for minimal light infiltration—ideal for sleeping areas or full coverage needs.

PLEATED DECO (DAY)



Our shades meet Federal Motor Safety Flammability Standards.

PLEATED STITCHBOND (NIGHT)



PLEATED BLOCKOUT



SCAN for UP-TO-DATE FABRIC CHOICES and MEASURING INSTRUCTIONS



PLEATED SHADE REPAIR KIT

Repair up to 5 shades. Package contains five 20' cords, 6 cord retainers, 8 cord bushings, 3 springs and easy to follow instructions.

650000	White
650004	Beige
650010	Black
650020	Grey



All Pleated Shades Feature a 1-Year Limited Warranty

UNIVERSAL RV TOILETS • FAST REPLACEMENT • PREMIUM COMFORT



UNIVERSAL FIT
Fits most RV toilet replacements



FREEZE RESISTANT
Water valve rated to -40°F



RESIDENTIAL COMFORT
Full-height elongated bowl



SOFT-CLOSE SEAT & LID
Quieter close, premium feel



660 LB CAPACITY
Built strong for long-term use



5-YEAR VALVE WARRANTY
Industry-leading coverage



VOYAGER RV TOILET with PLASTIC BOWL

Affordable Comfort. Universal Fit.

Quick and easy RV toilet replacement with residential-style comfort and a freeze-resistant valve.

KEY FEATURES:

- Freezeable Water Valve (-40°F tough)
- Universal replacement fit
- Ergonomic Foot Pedal
- Full-height elongated bowl
- Soft-close seat & lid
- Ergonomic foot pedal flush
- 660 lb weight capacity
- 2-YEAR Limited Warranty
- 5-YEAR Limited Warranty on Water Valve



780-0092
780-0082

White
Tan

VOYAGER PLUS RV TOILET with PORCELAIN BOWL

Premium Porcelain Upgrade.

All the benefits of Voyager with a durable porcelain bowl and adjustable-flow pedal for elevated comfort.

KEY FEATURES:

- Freezeable Water Valve (-40°F tough)
- Universal replacement fit
- Porcelain bowl construction
- Adjustable-flow foot pedal
- Full-height elongated bowl
- Soft-close seat & lid
- 660 lb weight capacity
- 2-YEAR Limited Warranty
- 5-YEAR Limited Warranty on Water Valve



780-0091
780-0081

White
Tan

InVision
An AIRXCEL Brand



FLOW DIFFERENTLY!

WATER PUMPS



AQUA PUMP

320-1200

Size (H x W x D)	4.75"x5.25"x4.75"
Voltage	12V
Amp Draw	7.5A
Weight	5 lbs
Flow Rate	3.0 GPM
Pressure	45 PSI



AQUAMAX

320-2200

Size (H x W x D)	4.75"x5.25"x4.75"
Voltage	12V
Amp Draw	8.5A
Weight	5 lbs
Flow Rate	3.5 GPM
Pressure	55 PSI



AQUA 115V

320-6000

Size (H x W x D)	8.5"x5.25"x4.75"
Voltage	115V
Amp Draw	1A
Weight	7.25 lbs
Flow Rate	3.3 GPM
Pressure	45 PSI



AQUA PROFESSIONAL

320-5200

Size (H x W x D)	11.2"x5.9"x5.5"
Voltage	12V
Amp Draw	8A
Weight	7.25 lbs
Flow Rate	5.0 GPM
Pressure	60 PSI



InVision Aqua-Pumps redefine how water moves through the RV experience — quietly, powerfully, and without compromise. With the highest flow rates on the market and built-in smart sensors, InVision ensures reliable, on-demand performance wherever the journey leads. From self-priming technology to a best-in-class warranty, these pumps deliver residential-level water pressure and total peace of mind. With InVision, water isn't just available — it flows differently.



COOKING APPLIANCES

Elevate life on the move with InVision's precision-engineered gas ranges and range hoods. Designed exclusively for RVs, our cooking appliances bring the control, performance, and refinement of a home kitchen to the road. From high-output burners to intelligent ventilation, InVision empowers travelers to cook boldly, safely, and deliciously — no compromises, just extraordinary meals wherever the journey leads.



GAS RANGES

- Elegant back-lit controls provide both safety and ambiance
- Digital controls ensure a precise, consistent interior temperature
- Full cast iron grate is easy to clean, durable and stylish
- Fold away glass lid provides a working surface when cook top is not in use
- Oven temperature range from 350 - 500°F
- 3 burners allow for a wide range of dinner options



17" RANGE

16.7" x 21.5" x 22"
BTU'S: 21,600 total
480-2730 17" Range



21" RANGE

20.7" x 21.5" x 22"
BTU'S: 21,600 total
480-2230 21" Range

RANGE HOODS

- Two finishes to match the entire kitchen ensemble
- Vented to remove smoke and cooking odors
- Designed exclusively for InVision kitchen appliances
- Fan CFM of 65 or 85

VENTED

4" x 22" x 17.65" | CFM: 80

280-2100	Vented, Black
280-4100	Vented, Stainless


VENTLESS

4" x 22" x 16.4" | CFM: 65

280-2300	Ventless, Black
280-4300	Ventless, Stainless



GAS APPLIANCES MUST BE INSTALLED BY A QUALIFIED SERVICE TECHNICIAN



REFRIGERATION

InVision refrigerators blend style, space, and smart design for life on the move. With residential sizes, French doors, and dual-swing options, they offer generous storage and seamless RV integration—so travelers can keep food fresh, kitchens beautiful, and adventures uninterrupted.



17^{Cu.Ft.} FRENCH DOOR

- **Triple-zone storage:** Separate freezer, fridge, and convertible flex-zone.
 - **Flex-zone:** Lower compartment adjusts to fit your needs fridge or freezer at the touch of a button.
 - **Spacious freezer:** Generous 5.3 Cu. Ft. capacity.
- 72.01" x 32.6" x 27.3" | 12V DC
Fridge: 33.8°F - 44.6°F | Freezer: 0.4°F - 10.4°F

180-2552	Black
180-4552	Stainless

10.7^{Cu.Ft.} DUAL SWING DOOR

- **DUAL Swing Design:** Hinges open left or right to fit any RV kitchen layout.
 - **Flexible Interior:** Two adjustable shelves, a clear crisper drawer, and in-door storage.
 - **Optimized Cooling:** Separate 2.4 cu. ft. freezer
- 59.8" x 23.6" x 25.9" | 12V DC
Fridge: 33.8°F - 44.6°F | Freezer: 0.4°F - 10.4°F

180-2562	Black
180-4562	Stainless

8^{Cu.Ft.} STANDARD

- **Smart storage:** Shelves, crisper, door bins & top freezer.
 - **Versatile Fit:** generous 5.3 Cu. Ft. Capacity; **Left or Right Hand swing;** 7 temp settings.
- 55.5" x 22.8" x 21.85" | 12V DC
Fridge: ~39°F - ~45°F | Freezer: -4°F - 10.4°F

LEFT HAND	RIGHT HAND	
180-2742	180-2712	Black
180-4742	180-4712	Stainless

VENTED WASHERS & DRYERS

InVision's RV laundry solutions redefine what's possible on the road. With space-saving stackable designs and front-load performance.

STACKABLE FRONT LOAD DRYERS*

- **Compact Footprint, Spacious Interior:** Largest capacity available in a standard 24" width.
- **Smart Drying:** Choose from 16 tailored cycles.
- **Energy Efficient:** ENERGY STAR® certified with Sensor Technology to stop drying when clothes are done.

STACKABLE FRONT LOAD WASHERS

- **Steam Cycle:** Tough on stains, gentle on fabrics.
- **Cold Wash:** Save energy and preserve color.
- **Sanitize Cycle:** Eliminates allergens and bacteria.
- **Brushless Inverter Motor:** Quiet, efficient-with a 10-year warranty.

* Stack kit included with qualifying orders

DRYER - VENTED

3.5^{cu.ft.} Stackable | 23.6"x21.5"x 32.3" | 12V
690-3910 Vented, White

WASHER - VENTED

2.5^{cu.ft.} Stackable | 23.4"x23.4"x33.5" | 12V
680-3910 Vented, White



DRYER EXHAUST VENT KIT - Hose: 5 ft. | 4" x 5'

620-3700	White	620-2700	Black	620-5700	Brown
----------	-------	----------	-------	----------	-------



WASHER/DRYER COMBO UNIT - VENTED

Say goodbye to laundry hassle. This ventless combo washes and dries in one machine—no load transfers, no venting needed.

COMING SOON

ADVANTAGE® TANK WATER HEATING SOLUTIONS

When it comes to hot water on the road, Suburban brings the heat. From tank to tankless, our in-house experts engineer water heaters that deliver reliable performance, smart efficiency, and road-tested durability. It's not just hot water — it's the Suburban Advantage.

PORCELAIN-LINED STEEL TANK SERIES

Suburban Advantage tank water heaters are built like the ones at home — just RV-sized. Our glass-lined steel tanks offer residential-style durability in a compact form, with a die-formed metal housing and heat-retaining jacket for all-season performance. Paired with Suburban Extended Life Anode Rods and regular inspection, and your customers may never need to replace — that's the Suburban Advantage.

Operates with a built-in or interior ON/OFF switch — simple, reliable, road-ready.



DIRECT SPARK IGNITION (D Model)

LP gas operation

5238A	SW6D – 6 gal; LP Gas, 12,000 BTU/h
5242A	SW10D – 10 gal; LP Gas, 12,000 BTU/h

DIRECT SPARK IGNITION w/ELECTRIC ELEMENT (DE Model)

LP gas operation plus 1440-Watt Incoloy electric element. Electric operates with switch on unit.

5239A	SW6DE – 6 gal; 12,000 BTU/h
5243A	SW10DE – 10 gal; 12,000 BTU/h
5247A	SW12DE – 12 gal; 12,000 BTU/h

DIRECT SPARK IGN., ELECTRIC ELEMENT, 12V RELAY (DEL Model)

LP gas operation plus 1440-Watt Incoloy electric element. Electric AND LP gas operates with interior mounted ON/OFF switch.

5240A	SW6DEL – 6 gal; 12,000 BTU/h
5244A	SW10DEL – 10 gal; 12,000 BTU/h
5248A	SW12DEL – 12 gal; 12,000 BTU/h

D, DE and DEL WATER HEATER DOORS

6261APW	Polar White, Radius Corner, 4 & 6 Gal.
6287AEB	Black, Radius Corner, 4 & 6 Gal.
6255ACW	Colonial White, Flush Mount, 4 & 6 Gal.
6255APW	Polar White, Flush Mount, 4 & 6 Gal.
6255AEB	Black, Flush Mount, 4 & 6 Gal.
6259ACW	Colonial White, Flush Mount, 10, 12 & 16 Gal.
6259APW	Polar White, Flush Mount, 10, 12 & 16 Gal.
6259AEB	Black, Flush Mount, 10, 12 & 16 Gal.



DIRECT FIT UPGRADE

Suburban is the only direct replacement for 6-gallon aluminum tank water heaters — no sidewall mods, no hassle.

Why it matters:

- Porcelain-Lined Steel Tank – Just like your home water heater.
- Anode Rod – Fights corrosion, doubles as a drain.
- Optional Electric Element – Use campground or generator power.
- Exclusive Flue Tube Baffles – More heat, less waste.

Built to FIT. Built to LAST.



DOOR NOT INCLUDED. SOLD SEPARATELY. SHOWN FOR ILLUSTRATION PURPOSES ONLY.

6-GALLON CAPACITY ONLY! LP gas operation. 10,000 BTU/H. Optional 1440-Watt Incoloy electric element (DE Model). Optional Electric AND LP gas operates with interior mounted ON/OFF switch (DEL Model).

MFG #	DESCRIPTION
5320A	SAW6D
5321A	SAW6DE + Incoloy Electric Element
5322A	SAW6DEL + Incoloy Electric Element, 12V relay
6279APW	Door, Polar White
6279AEB	Door, Black
6279AAW	Door, Arctic White

ADDITIONAL COMPONENTS

ON/OFF INTERIOR MOUNTED SWITCH

For D, DE, SAW6D, SAW6DE, IW60 Models.

234589	White
234229	Black

For DEL and SAW6DEL Models.

232882	White
233111	Black



EXTENDED LIFE ANODE RODS

233514	MAGNESIUM
233516	ALUMINUM



TANKLESS WATER HEATING SOLUTIONS

ADVANTAGE TANKLESS

Upgrade any 6, 10, 12, or 16-gallon RV water heater to a tankless system—no storage, no wait.

What makes it smart:

- **Consistent Temps:** Microprocessor-controlled system modulates LP gas (36,000 to 60,000 BTU/h) for steady, on-demand heat.
- **Dual Freeze Protection:** Active burner cycling when powered; passive drain if not.
- **Max Temp:** 130°F
- **Compact Size:** 12.5"H x 12.5"W x 20.5"D | Weight: 36 lb.



Continuous comfort. Zero compromise.

5581A	IW60 Tankless, continuous water heater
-------	--

REQUIRED ADDITIONAL COMPONENTS

SUBURBAN ADVANTAGE® TANKLESS REPLACEMENT PANELS

The replacement panel properly aligns and maintains the Vent Cap connection into the heater exhaust port. In conversions, it replaces the existing door. The replacement panel kit contains the mounting frame and panel gasket.

6376APW	Suburban, 6-Gal. Rep. Panel, Polar White
6377APW	Suburban, 10, 12, or 16-Gal. Rep. Panel, Polar White
522147	Dometic/Atwood Style 6-Gal. Rep. Panel, Polar White
522150	Dometic/Atwood Style 10-Gal. Rep. Panel, Polar White



ADVANTAGE® TANKLESS CONTROL CENTER

Provides precise, informative, consistent and reliable temperature control.

18-2725	234589	White
18-2539	234229	Black

ADVANTAGE® EXHAUST VENT CAP

Vent cap size is determined by the RV wall thickness.

261616	1-Inch Vent Cap for 0"-1" Wall Thicknesses
261617	2-Inch Vent Cap for 1"-2" Wall Thicknesses
261618	3-Inch Vent Cap for 2"-3" Wall Thicknesses



ADVANTAGE ST-SERIES TANKLESS

The ADVANTAGE is obvious—hot water, whenever you want it.

Suburban's new Advantage ST-Series delivers continuous hot water on demand — no tank, no wait. Available in two models (ST42 and ST60), it heats only when needed, saving energy while keeping every shower, dish, and rinse reliably hot.

Built to Fit. Built to Perform.

Sized to fit a standard 6-gallon RV water heater cutout, the ST-Series is a perfect upgrade for most units. A wall-mount digital control center is included for easy setup and precise temperature control.

- **Dimensions:** 12.5" H x 12.75" W x 13" D
- **Weight:** 19 lbs. (without door) / 23.5 lbs. (with door)
- **Max Temp:** 120°F (ST42), 130°F (ST60)
- **Setpoint Control:** Digital, wall-mounted-INCLUDED

Choose the Right Model for Your Climate:

- ST42: Ideal for warm-weather use
- ST60: Designed for colder climates or winter RVing
- **Now offering a 10 Gallon conversion door for replacement of 10, 12 or 16 gallon tanks**

Engineered for Safety, Backed by Confidence!

The ST-Series is packed with advanced protection features:

- Flame Out and Scald Protection
- Automatic Fan Monitoring
- Active Freeze Protection
- Voltage Protection and Pressure Release Valve
- 2-Year Limited Warranty

Upgrade your expectations.


With the Advantage ST-Series, comfort isn't stored in a tank—it flows with you.

5481A	ST42 Water Heater, 42k BTU/h - Tankless
5482A	ST60 Water Heater, 60k BTU/h - Tankless
6285AEB	Exterior Door for ST Water Heaters - Black
6285APW	Exterior Door for ST Water Heaters - White
COMING SOON!	10gal. Exterior Door for ST Water Heaters - Black
	10gal. Exterior Door for ST Water Heaters - White



COMFORT THAT FOLLOWS YOU ANYWHERE

When the temperatures drop and the wind picks up, Suburban keeps the warmth coming. Designed for life on the road and built to perform in all conditions, our furnaces bring dependable heat and home-like comfort to every corner of your RV. Whether you're chasing snow-covered peaks or waking up to a frosty morning at the lake, Suburban makes sure it always feels like home — no matter how far you roam.



SF-Q SERIES

Efficient, low-profile ducted furnaces with direct spark ignition and sealed, forced-draft combustion. Requires access doors.

2537A	SF-20VHQ, 20,000 BTU/h
2575A	SF-25VHQ, 25,000 BTU/h
2577A	SF-30VHQ, 30,000 BTU/h
2588A	SF-35VHQ, 35,000 BTU/h
2592A	SF-42VHQ, 40,000 BTU/h

SF-Q ACCESS DOORS

6258ACW	Colonial White Access Door
6258APW	Polar White Access Door
6258AEB	Black Access Door

SF-FQ SERIES

Do not require exterior access doors. Efficient, low-profile ducted furnaces with direct spark ignition and sealed, forced-draft combustion.

2572A	SF-20VHFQ, 20,000 BTU/h
2574A	SF-25VHFQ, 25,000 BTU/h
2576A	SF-30VHFQ, 30,000 BTU/h
2587A	SF-35VHFQ, 35,000 BTU/h
2591A	SF-42VHFQ, 40,000 BTU/h

NT-SEQ SERIES

Direct discharge for zone heating of smaller interiors.

2504ABK	NT-20SEQ, 19,000 BTU/h, Black Discharge Grille
---------	--

NT-SQ SERIES

Ducted for even heat distribution.

2450A	NT-20SQ, 19,000 BTU/h
-------	-----------------------

120VAC to 12VDC POWER SUPPLY KIT

For Park Model Installations. Requires SF-42VHFQ Furnace

521464	120VAC to 12VDC Power Supply, Wiring Connectors, Mounting Screws
--------	--



IF IT'S NOT A SUBURBAN CORE, IT'S JUST A FUTURE CALLBACK!

FURNACE CORE REPLACEMENT MODULES

Why rebuild a failing furnace one part at a time? Suburban Furnace Cores replace the entire heat-producing core in one go — tested and ready to install. It's faster for your techs, smarter for your shop, and better for your bottom line. **PLUS your customers get peace of mind with a NEW 2-year Limited Warranty AND a unit that possess current technology and performance improvements.**

2612A	FOR NT-16SEQ / NT-20SEQ MODELS
2611A	FOR NT-16SQ / NT-20SQ MODELS
2613A	FOR NT-30SP / NT-34SP MODELS
2614A	FOR NT-40 MODELS ORDER
2615A	FOR PARK MODEL P40
2605A	FOR SF-20Q
2606A	FOR SF-20FQ
2607A	FOR SF-25Q / SF-30Q
2608A	FOR SF-25FQ / SF-30FQ
2609A	FOR SF-35Q / SF-42Q
2610A	FOR SF-35FQ / SF-42FQ

Fast to install. Built to last.

Suburban Furnace Cores deliver reliable heat that keeps your customers warm and your reputation solid.

THERMOSTATS

161154	Heat Only, White
161210	Heat Only, Black

ACCESSORIES

050715	4" Duct Collar
050733	4-7/8" Duct Cover
051240	2" Duct Collar

AUTOMATIC CHANGEOVER REGULATORS

Suburban's automatic changeover regulator keeps propane flowing by switching from an empty to a full cylinder—no interruption needed. A top-view indicator shows tank status without removing the cover.

Safety Features:

- **Back Check Valve:** Allows safe cylinder replacement without disrupting gas flow.
- **Overpressure Protection:** Shuts off gas if pressure exceeds limits; manual reset required. UL Listed.

LOW CAPACITY:

160,000 BTU/hr., 25-250 PSI

Inlet: 1/4" Inverted Flare
Outlet: 3/8" FNPT

523015

524015 (no packaging)



HIGH CAPACITY:

450,000 BTU/hr., 25-250 PSI

Inlet: 1/4" Inverted Flare
Outlet: 1/2" FNPT

523001



TWO STAGE REGULATORS

Suburban's two-stage design ensures safe, consistent gas pressure. The first stage lowers cylinder pressure to 10 psi; the second maintains a steady 11" water column for reliable appliance performance.

Safety Features:

- **Overpressure Protection:** Shuts off gas if pressure exceeds safe limits; requires manual reset.



VERTICAL VENT
Capacity: 160k BTU/h
Inlet: 1/4" FNPT
Outlet: 3/8" NPT

523003



HORIZONTAL VENT
Capacity: 160k BTU/h
Inlet: 1/4" FNPT
Outlet: 3/8" NPT

523002



HORIZONTAL VENT
with Excess Flow Device
Capacity: 160k BTU/h
Inlet: POL with EFV
Outlet: 3/8" FNPT

523014

SINGLE STAGE HIGH PRESSURE REGULATOR

Designed for appliances operating at 0.5 PSI or higher, this regulator connects via high-pressure flexible hoses. Available with outlet fittings at 90° or 180°, depending on the model, for flexible installation.

HIGH PRESSURE, FIXED | Capacity: 460k BTU/h
Inlet: 1/4" FNPT | **Outlet:** 1/4" FNPT

523004



HOSES & PIGTAILS

Designed for two-cylinder systems using automatic changeover or standard two-stage regulators with "T" check connections.

Safety Features:

- **Excess Flow Device:** Restricts gas flow if the hose is ruptured or disconnected.
- **Thermofuse:** Automatically shuts off gas if temperatures exceed 240°F.



RV Type 1 ACME NUT PIGTAIL

1/4" I.D. Hose

Type 1 ACME Nut x 1/4" Inverted Flare PIGTAILS

523005	12"
523007	15"
524007 (no packaging)	15"
523009	20"
523010	24"

Type 1 ACME Nut x 1/4" MPT PIGTAILS

523006	15"
524006 (no packaging)	15"
523008	20"



RV High Pressure Hoses

1/4" I.D. Hose, 3/8" FPT x 3/8" Female Flare Swivel

523011	72" PIGTAIL
523012	144" PIGTAIL



RV Quick Connect RV Propane Hose

1/4" I.D. Hose 1/4" Male Quick Connect x 1/4" Female Quick Connect with Shutoff Valve

523019	12' HOSE
523020	24' HOSE



RV LP Gas Extension Hose

1/4" I.D. Hose, Male #600 (1"-20) x Female #600 (1"-20)

523018	12' HOSE
--------	----------

BRASS FITTINGS & ACCESSORIES



Excess Flow POL Adapter

For use with Two-Stage Regulators. Closing flow rate of 404sdh of LPG at 100 PSI.

523016

POL x 1/4" MPT



T Connection

1/4" Inverted Flare x 1/4" Inverted Flare x 1/4" MPT.
Used for two cylinder applications.

523017



Z Wall Mounting Bracket

For use with Two-Stage or Automatic Changeover Regulators. Mounting screws included.

523013



Low Pressure Quick Connect

Quickly connect propane appliances to your RV's propane supply.

523021

4-Port Propane Tee

Hook up additional appliances or propane cylinders.

523022




STEP UP YOUR RV ENTRY EXPERIENCE.




LIGHTER WEIGHT. STRONGER IMPRESSION.

Suburban Composite Stow-Away Steps deliver a cleaner, more confident RV entry experience with flexible fit options and a refined finished look.



COMPOSITE STRENGTH

Durable composite treads resist wear and maintain a clean appearance through frequent RV use.




LIGHTER WEIGHT

Engineered to reduce weight while maintaining dependable support for everyday RV entry.



TRACTION + DRAINAGE

Molded composite treads support footing while open tread design sheds water, dirt and debris.



FLEXIBLE RV FIT

Available in multiple configurations to support a wide range of RV applications.

ONE SYSTEM. EVERYDAY ENTRY CONFIDENCE.



SELECT THE FIT

Choose the step count, platform width, and rise/run configuration that best matches the RV entry application.



DEPLOY + POSITION

Deploy the steps and confirm exterior clearance, ground contact, and proper entry alignment before use.



STEP IN + STOW

Use the steps for everyday RV entry, then fold and stow when it is time to travel.


BUILT FOR THE ENTRY POINT THAT MATTERS MOST.

DETAILED TECHNICAL SPECIFICATIONS		2-STEP EXTENDED*								3-STEP EXTENDED*								3-STEP STANDARD**								4-STEP STANDARD**							
D I M	DESCRIPTION (Dimensions in Inches)	BLACK STRINGER				WHITE STRINGER				BLACK STRINGER				WHITE STRINGER				BLACK STRINGER				WHITE STRINGER				BLACK STRINGER				WHITE STRINGER			
		NARROW		WIDE		NARROW		WIDE		NARROW		WIDE		NARROW		WIDE		NARROW		WIDE		NARROW		WIDE		NARROW		WIDE					
		COMING SOON! COMING SOON! COMING SOON! COMING SOON!								COMING SOON! COMING SOON! COMING SOON! COMING SOON!								COMING SOON! COMING SOON! COMING SOON! COMING SOON!								COMING SOON! COMING SOON! COMING SOON! COMING SOON!							
		MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX		
	Nominal Door Width	26	30	30	34	26	30	30	34	26	30	30	34	26	30	30	34	26	30	30	34	26	30	30	34	26	30	30	34	26	30	30	34
A	Door Opening, Latch Adjustment	23 1/4	28 3/4	26 3/4	32 1/4	23 1/4	28 3/4	26 3/4	32 1/4	23 1/4	28 3/4	26 3/4	32 1/4	23 1/4	28 3/4	26 3/4	32 1/4	23 1/4	28 3/4	26 3/4	32 1/4	23 1/4	28 3/4	26 3/4	32 1/4	23 1/4	28 3/4	26 3/4	32 1/4	23 1/4	28 3/4	26 3/4	32 1/4
B	Floor Height from Ground	21 7/8	31 7/8	21 7/8	31 7/8	21 7/8	31 7/8	21 7/8	31 7/8	30 7/8	40 7/8	30 7/8	40 7/8	30 7/8	40 7/8	30 7/8	40 7/8	28	38 1/4	28	38 1/4	28	38 1/4	28	38 1/4	36 1/2	46 3/4	36 1/2	46 3/4	36 1/2	46 3/4	36 1/2	46 3/4
C	Extension from Coach	25 3/4								36								32 1/4								40 3/4							
D	Width Excluding Latch	23 1/8		26 1/2		23 1/8		26 1/2		23 1/8		26 1/2		23 1/8		26 1/2		23 1/8		26 1/2		23 1/8		26 1/2		23 1/8		26 1/2		23 1/8		26 1/2	
E	First Step Height	3 3/8	13 1/2	3 3/8	13 1/2	3 3/8	13 1/2	3 3/8	13 1/2	3	12 7/8	3	12 7/8	3	12 7/8	3	12 7/8	3	13 1/8	3	13 1/8	3	13 1/8	3	13 1/8	3	13 1/8	3	13 1/8	3	13 1/8	3	13 1/8
F	Bottom of Stringer to Ground	1 5/8	11 3/4	1 5/8	11 3/4	1 5/8	11 3/4	1 5/8	11 3/4	1 1/4	11 1/8	1 1/4	11 1/8	1 1/4	11 1/8	1 1/4	11 1/8	1 1/4	11 3/8	1 1/4	11 3/8	1 1/4	11 3/8	1 1/4	11 3/8	1 1/4	11 3/8	1 1/4	11 3/8	1 1/4	11 3/8	1 1/4	11 3/8
G	Top of Stringer to Ground	17 1/8	27 1/4	17 1/8	27 1/4	17 1/8	27 1/4	17 1/8	27 1/4	26 1/8	36 1/8	26 1/8	36 1/8	26 1/8	36 1/8	26 1/8	36 1/8	24 1/8	34 3/8	24 1/8	34 3/8	24 1/8	34 3/8	24 1/8	34 3/8	32 5/8	42 7/8	32 5/8	42 7/8	32 5/8	42 7/8	32 5/8	42 7/8
H	Inside Depth from Threshold	17								18 3/4								17 1/4								18 1/4							
I	Inside Height Above Floor	35 1/2								49 3/8								44 7/8								56 3/4							
J	Step Height/Rise	9 1/2								9 1/2								8 1/2								8 1/2							
K	Step Width	20		23 1/2		20		23 1/2		20		23 1/2		20		23 1/2		20		23 1/2		20		23 1/2		20		23 1/2		20		23 1/2	
	Top Step Depth/Run	13								13								13								13							
	Common Step Depth/Run	8.5								8.5								8.5								8.5							
	Leg Material	Extruded Aluminum								Extruded Aluminum								Extruded Aluminum								Extruded Aluminum							
	Tread Material	Composite^A								Composite^A								Composite^A								Composite^A							
	Hinge, Latch & Stringer Material	Steel								Steel								Steel								Steel							
	Color	Flat Powder Coat								Flat Powder Coat								Flat Powder Coat								Flat Powder Coat							
	Load Limit	500 lbs								500 lbs								500 lbs								500 lbs							
	Total Product Weight*	38 lbs		43 lbs		38 lbs		43 lbs		46 lbs		51 lbs		46 lbs		51 lbs		45 lbs		50 lbs		45 lbs		50 lbs		53 lbs		58 lbs		53 lbs		58 lbs	
	Regulatory Compliance	Conforms to RVIA RVEC-1								Conforms to RVIA RVEC-1								Conforms to RVIA RVEC-1								Conforms to RVIA RVEC-1							

* Extended = Extended Rise/Run

** Standard = Standard Rise/Run

^A Stairs with composite treads weigh up to 5% less.



MAKE EVERY STEP **EASIER.**

EASIER TO DEPLOY. EASIER TO STOW.


Suburban Lift Assist Composite Stow-Away Steps help make RV entry setup smoother and more controlled.

Everyday usability, dependable support, and a cleaner entry experience from the ground up.




LIFT-ASSIST OPERATION

Helps reduce lifting effort during deployment and stow-away, making step movement smoother and easier to manage.



ADJUSTABLE GROUND CONTACT

Easy-adjust legs help support a stable step position across varied campsite, driveway, and service-lot surfaces.



COMPOSITE TREAD CONFIDENCE

Durable composite treads with molded texture help support footing while standing up to everyday RV entry use.



FLEXIBLE RV FIT

Available in 3-step and 4-step configurations with narrow and wide options to support a range of RV applications.

ONE SYSTEM. THREE MOMENTS OF EASE.



UNLOCK + DEPLOY

Move the steps from the stored position with lift-assist support for smoother control.



ADJUST + STABILIZE

Extend each ground-contact leg as needed to help position the step assembly before use.






STEP IN + STOW

Use the steps for everyday RV entry, then lift and stow with reduced effort when travel resumes.

DETAILED TECHNICAL SPECIFICATIONS		3-STEP STANDARD**								4-STEP STANDARD**							
D I M	DESCRIPTION (Dimensions in Inches)	BLACK STRINGER				WHITE STRINGER				BLACK STRINGER				WHITE STRINGER			
		NARROW		WIDE		NARROW		WIDE		NARROW		WIDE		NARROW		WIDE	
		COMING SOON! COMING SOON! COMING SOON! COMING SOON!								COMING SOON! COMING SOON! COMING SOON! COMING SOON!							
		MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX
	Nominal Door Width	26	30	26	30	30	34	30	34	26	30	26	30	30	34	30	34
A	Door Opening, Latch Adjustment	23 1/4	28 3/4	26 3/4	32 1/4	23 1/4	28 3/4	26 3/4	32 1/4	23 1/4	28 3/4	26 3/4	32 1/4	23 1/4	28 3/4	26 3/4	32 1/4
B	Floor Height from Ground	27 3/4	37 7/8	27 3/4	37 7/8	27 3/4	37 7/8	27 3/4	37 7/8	36 1/4	46 3/8	36 1/4	46 3/8	36 1/4	46 3/8	36 1/4	46 3/8
C	Extension from Coach	32 1/4								40 3/4							
D	Width Excluding Latch	23 1/8		26 1/2		23 1/8		26 1/2		23 1/8		26 1/2		23 1/8		26 1/2	
E	First Step Height	3	13 1/8	3	13 1/8	3	13 1/8	3	13 1/8	3	13 1/8	3	13 1/8	3	13 1/8	3	13 1/8
F	Bottom of Stringer to Ground	1 1/4	11 3/8	1 1/4	11 3/8	1 1/4	11 3/8	1 1/4	11 3/8	1 1/4	11 3/8	1 1/4	11 3/8	1 1/4	11 3/8	1 1/4	11 3/8
G	Top of Stringer to Ground	24 1/8	34 3/8	24 1/8	34 3/8	24 1/8	34 3/8	24 1/8	34 3/8	32 5/8	42 7/8	32 5/8	42 7/8	32 5/8	42 7/8	32 5/8	42 7/8
H	Inside Depth from Exterior Threshold (Stowed)	17 1/4								18 1/4							
I	Inside Height Above Floor (Stowed)	48 1/2								60 1/2							
J	Common Step Height/Rise	8 1/2								8 1/2							
K	Step Width	20		23 1/2		20		23 1/2		20		23 1/2		20		23 1/2	
L	Overall Product Width	30 3/8		33 7/8		30 3/8		33 7/8		30 3/8		33 7/8		30 3/8		33 7/8	
	Top Step Depth/Run	13								13							
	Leg Material	Extruded Aluminum								Extruded Aluminum							
	Tread Material	Composite^A								Composite^A							
	Hinge, Latch & Stringer Material	Steel								Steel							
	Color	Flat Powder Coat								Flat Powder Coat							
	Load Limit	500 lbs								500 lbs							
	Total Product Weight*	50 lbs		55 lbs		50 lbs		55 lbs		56 lbs		61 lbs		56 lbs		61 lbs	
	Regulatory Compliance	Conforms to RVIA RVEC-1								Conforms to RVIA RVEC-1							

** Standard = Standard Rise/Run

^A Stairs with composite treads weigh up to 5% less.



POWERED AWNINGS

- Patent-Pending Pitch Adjustment –Arm features an easy to set pitch lock to provide shade at a range of angles depending on the sun position.
- Extruded Aluminum Light Rail –Slides easily over canopy edge “C” channel, making installation fast and with fewer errors.
- Modular Arms –Interchangeable means fewer stocking parts.
- Manual Override –In the case of power loss.
- Attractive LED Lighting –Included inside the Light Rail.
- Sizes from 6’ - 22’ – Available in one-foot increments*
- Canopies are available in 3 solid colors and 5 gradient color fades
- Arms are available in Black or white

**Contact your Velarium representative for custom sizes and part numbers.*



VERTICAL ARM 12V POWER HARDWARE - ARM SETS

VP6211	62" 12V Power / Idler Arm Set	Black
VP6212	62" 12V Power / Idler Arm Set	White
VP6811	68" 12V Power / Idler Arm Set	Black
VP6812	68" 12V Power / Idler Arm Set	White



AWNING FABRIC AND ROLLER ASSEMBLIES

- 13.5 oz, 1000 denier count, 3 Ply Universal Canopies with 8' extension
- 3.5" Diameter Roller Assembly, retrofit to Lippert, Carefree, and Dometic
- All rollers come standard with 12V LED awning lights installed

	Solid Black	Solid White	Solid Gray	Charcoal Fade	Charcoal Reverse Fade	Slate Blue Fade	Burgundy Fade	Dune Fade
Size	00 = Solid Black, Rolls Black	01 = Solid White, Rolls White	07 = Solid Gray, Rolls Gray	02 = Black/Silver Fade, Rolls White	03 = Black/Silver Fade, Rolls Black	04 = Blue Fade, Rolls White	05 = Burgundy Fade, Rolls White	06 = Tan Fade, Rolls White
8'	VR08000000	VR08001000	VR08007000	VR08002000	VR08003000	VR08004000	VR08005000	VR08006000
9'	VR09000000	VR09001000	VR09007000	VR09002000	VR09003000	VR09004000	VR09005000	VR09006000
10'	VR10000000	VR10001000	VR10007000	VR10002000	VR10003000	VR10004000	VR10005000	VR10006000
11'	VR11000000	VR11001000	VR11007000	VR11002000	VR11003000	VR11004000	VR11005000	VR11006000
12'	VR12000000	VR12001000	VR12007000	VR12002000	VR12003000	VR12004000	VR12005000	VR12006000
13'	VR13000000	VR13001000	VR13007000	VR13002000	VR13003000	VR13004000	VR13005000	VR13006000
14'	VR14000000	VR14001000	VR14007000	VR14002000	VR14003000	VR14004000	VR14005000	VR14006000
15'	VR15000000	VR15001000	VR15007000	VR15002000	VR15003000	VR15004000	VR15005000	VR15006000
16'	VR16000000	VR16001000	VR16007000	VR16002000	VR16003000	VR16004000	VR16005000	VR16006000
17'	VR17000000	VR17001000	VR17007000	VR17002000	VR17003000	VR17004000	VR17005000	VR17006000
18'	VR18000000	VR18001000	VR18007000	VR18002000	VR18003000	VR18004000	VR18005000	VR18006000
19'	VR19000000	VR19001000	VR19007000	VR19002000	VR19003000	VR19004000	VR19005000	VR19006000
20'	VR20000000	VR20001000	VR20007000	VR20002000	VR20003000	VR20004000	VR20005000	VR20006000
21'	VR21000000	VR21001000	VR21007000	VR21002000	VR21003000	VR21004000	VR21005000	VR21006000
22'	VR22000000	VR22001000	VR22007000	VR22002000	VR22003000	VR22004000	VR22005000	VR22006000

SOLID FABRICS



GRADIENT FADE FABRICS



AWNING CRADLE FOR 20' - 22' ROLLER TUBES

Supports awning roller to eliminate sag for lengths greater than 20'

VA3001 Awning Cradle Black

REPLACEMENT CANOPIES

UNIVERSAL REPLACEMENT CANOPIES

13.5 oz, 1000 denier count, 3 Ply Universal Replacement Canopies with 8' extension. Retrofit to Lippert, Carefree, and Dometic

Sizes from 6' - 22' – Available in one-foot increments*.

Fabrics measure 10" shorter than center arm to center arm awning measurement. Ex: 16' awning VC16000000 the fabric measures 15' 2".

Canopies are available in 3 solid colors and 5 gradient color fades

**Contact your Velarium representative for custom sizes and part numbers.*

Size	Solid Black	Solid White	Solid Gray	Charcoal Fade
8'	VC08000000	VC08001000	VC08007000	VC08002000
9'	VC09000000	VC09001000	VC09007000	VC09002000
10'	VC10000000	VC10001000	VC10007000	VC10002000
11'	VC11000000	VC11001000	VC11007000	VC11002000
12'	VC12000000	VC12001000	VC12007000	VC12002000
13'	VC13000000	VC13001000	VC13007000	VC13002000
14'	VC14000000	VC14001000	VC14007000	VC14002000
15'	VC15000000	VC15001000	VC15007000	VC15002000
16'	VC16000000	VC16001000	VC16007000	VC16002000
17'	VC17000000	VC17001000	VC17007000	VC17002000
18'	VC18000000	VC18001000	VC18007000	VC18002000
19'	VC19000000	VC19001000	VC19007000	VC19002000
20'	VC20000000	VC20001000	VC20007000	VC20002000
21'	VC21000000	VC21001000	VC21007000	VC21002000
22'	VC22000000	VC22001000	VC22007000	VC22002000


Size	Charcoal Reverse Fade	Slate Blue Fade	Burgundy Fade	Dune Fade
8'	VC08003000	VC08004000	VC08005000	VC08006000
9'	VC09003000	VC09004000	VC09005000	VC09006000
10'	VC10003000	VC10004000	VC10005000	VC10006000
11'	VC11003000	VC11004000	VC11005000	VC11006000
12'	VC12003000	VC12004000	VC12005000	VC12006000
13'	VC13003000	VC13004000	VC13005000	VC13006000
14'	VC14003000	VC14004000	VC14005000	VC14006000
15'	VC15003000	VC15004000	VC15005000	VC15006000
16'	VC16003000	VC16004000	VC16005000	VC16006000
17'	VC17003000	VC17004000	VC17005000	VC17006000
18'	VC18003000	VC18004000	VC18005000	VC18006000
19'	VC19003000	VC19004000	VC19005000	VC19006000
20'	VC20003000	VC20004000	VC20005000	VC20006000
21'	VC21003000	VC21004000	VC21005000	VC21006000
22'	VC22003000	VC22004000	VC22005000	VC22006000

VELOCITY SWITCH

The Velocity Switch from Velarium uses proprietary technology to safely increase the speed at which your awning deploys and retracts. Integrated soft start technology gently starts the awning motor, increasing motor life. You'll have more time to get out and enjoy the great outdoors. Side-by-side tests have shown the Velarium Velocity Switch to be as much as twice as fast as other awning switches.

- Nearly **TWICE AS FAST** as standard switches!
- Easy Installation!
- Deploy & retract your awning **FASTER!**
- Reduce chance of wind damage
- An easy-to-install upgrade for existing awning switches*

**The Velarium Velocity Switch is compatible with most 12V vertical arm awning brands*



VELOCITY SWITCH

VA0801

Control Switch and Harness

UNIVERSAL REPLACEMENT CANOPIES - BOXED, DROPSHIPPED AND PREPAID ONLY

13.5 oz, 1000 denier count, 3 Ply Universal Replacement Canopies with 8' extension. Retrofit to Lippert, Carefree, and Dometic. Boxed for faster shipping and prepaid to anywhere in the continental U.S. Delivers within 5 business days from when the PO is placed.

Sizes from 6' - 22' – Available in one-foot increments*.


Fabrics measure 10" shorter than center arm to center arm awning measurement. Ex: 16' awning VCB16000000 the fabric measures 15' 2".

Canopies are available in 3 solid colors and 5 gradient color fades

**Contact your Velarium representative for custom sizes and part numbers.*

Size	Black	White	Gray	Charcoal Fade
8'	VCB0800000	VCB0800100	VCB0800700	VCB0800200
9'	VCB0900000	VCB0900100	VCB0900700	VCB0900200
10'	VCB1000000	VCB1000100	VCB1000700	VCB1000200
11'	VCB1100000	VCB1100100	VCB1100700	VCB1100200
12'	VCB1200000	VCB1200100	VCB1200700	VCB1200200
13'	VCB1300000	VCB1300100	VCB1300700	VCB1300200
14'	VCB1400000	VCB1400100	VCB1400700	VCB1400200
15'	VCB1500000	VCB1500100	VCB1500700	VCB1500200
16'	VCB1600000	VCB1600100	VCB1600700	VCB1600200
17'	VCB1700000	VCB1700100	VCB1700700	VCB1700200
18'	VCB1800000	VCB1800100	VCB1800700	VCB1800200
19'	VCB1900000	VCB1900100	VCB1900700	VCB1900200
20'	VCB2000000	VCB2000100	VCB2000700	VCB2000200
21'	VCB2100000	VCB2100100	VCB2100700	VCB2100200
22'	VCB2200000	VCB2200100	VCB2200700	VCB2200200

Size	Charcoal Reverse Fade	Slate Blue Fade	Burgundy Fade	Dune Fade
8'	VCB0800300	VCB0800400	VCB0800500	VCB0800600
9'	VCB0900300	VCB0900400	VCB0900500	VCB0900600
10'	VCB1000300	VCB1000400	VCB1000500	VCB1000600
11'	VCB1100300	VCB1100400	VCB1100500	VCB1100600
12'	VCB1200300	VCB1200400	VCB1200500	VCB1200600
13'	VCB1300300	VCB1300400	VCB1300500	VCB1300600
14'	VCB1400300	VCB1400400	VCB1400500	VCB1400600
15'	VCB1500300	VCB1500400	VCB1500500	VCB1500600
16'	VCB1600300	VCB1600400	VCB1600500	VCB1600600
17'	VCB1700300	VCB1700400	VCB1700500	VCB1700600
18'	VCB1800300	VCB1800400	VCB1800500	VCB1800600
19'	VCB1900300	VCB1900400	VCB1900500	VCB1900600
20'	VCB2000300	VCB2000400	VCB2000500	VCB2000600
21'	VCB2100300	VCB2100400	VCB2100500	VCB2100600
22'	VCB2200300	VCB2200400	VCB2200500	VCB2200600



22' LED LIGHT & RAIL SYSTEM

This LED Awning Light Kit includes three 7' sections and a spool of LED lighting. Featuring a durable black powder-coated finish, it is easy to install, simple to service, retrofittable to other awning brands, and can be cut to fit your desired size.

VA05022

22' LED Light & Rail System

SLIDE-OUT TOPPER KITS



SLIDE-OUT TOPPER KIT

KIT INCLUDES: HARDWARE • BRACKETS • SPRINGS • ROLLER • FABRIC

- **Construction:** heavy-duty, 13.5 ounce, 1000 denier count vinyl.
- **Prevents:** pooling water on top of slide-out and damaging seals, protecting your investment.
- Provides shade to the slide-out keeping the interior cooler.
- **Available in:** Black, white or gray* vinyl and your choice of black or white hardware.
*For gray fabric options, please contact your sales representative.
- Built-in anti billowing device.
- Room measurement to be taken from outside to outside of the Fascia (trim).

NOTE: If the slide-out has been prepped by the OEM with competitive slide-out topper brackets please contact Velarium for adapter brackets to make your installation easier.



LOW
MAINTENANCE



SUPERIOR
MATERIALS



DIRECT
REPLACEMENT



ALL
INCLUSIVE KIT

Size	SOLID BLACK KIT	FLANGE FIT CHART
66"	VSTK06600000	Fits Flange To Flange 55 - 61"
72"	VSTK07200000	Fits Flange To Flange 61 - 67"
78"	VSTK07800000	Fits Flange To Flange 67 - 73"
84"	VSTK08400000	Fits Flange To Flange 73 - 79"
90"	VSTK09000000	Fits Flange To Flange 79 - 85"
96"	VSTK09600000	Fits Flange To Flange 85 - 91"
102"	VSTK10200000	Fits Flange To Flange 91 - 97"
108"	VSTK10800000	Fits Flange To Flange 97 - 103"
114"	VSTK11400000	Fits Flange To Flange 103 - 109"
120"	VSTK12000000	Fits Flange To Flange 109 - 115"
126"	VSTK12600000	Fits Flange To Flange 115 - 121"
132"	VSTK13200000	Fits Flange To Flange 121 - 127"
138"	VSTK13800000	Fits Flange To Flange 127 - 133"
144"	VSTK14400000	Fits Flange To Flange 133 - 139"
150"	VSTK15000000	Fits Flange To Flange 139 - 145"
156"	VSTK15600000	Fits Flange To Flange 145 - 151"
162"	VSTK16200000	Fits Flange To Flange 151 - 157"
168"	VSTK16800000	Fits Flange To Flange 157 - 163"
174"	VSTK17400000	Fits Flange To Flange 163 - 169"
180"	VSTK18000000	Fits Flange To Flange 169 - 175"
186"	VSTK18600000	Fits Flange To Flange 175 - 181"
192"	VSTK19200000	Fits Flange To Flange 181 - 187"

Size	SOLID WHITE KIT	FLANGE FIT CHART
66"	VSTK06601000	Fits Flange To Flange 55 - 61"
72"	VSTK07201000	Fits Flange To Flange 61 - 67"
78"	VSTK07801000	Fits Flange To Flange 67 - 73"
84"	VSTK08401000	Fits Flange To Flange 73 - 79"
90"	VSTK09001000	Fits Flange To Flange 79 - 85"
96"	VSTK09601000	Fits Flange To Flange 85 - 91"
102"	VSTK10201000	Fits Flange To Flange 91 - 97"
108"	VSTK10801000	Fits Flange To Flange 97 - 103"
114"	VSTK11401000	Fits Flange To Flange 103 - 109"
120"	VSTK12001000	Fits Flange To Flange 109 - 115"
126"	VSTK12601000	Fits Flange To Flange 115 - 121"
132"	VSTK13201000	Fits Flange To Flange 121 - 127"
138"	VSTK13801000	Fits Flange To Flange 127 - 133"
144"	VSTK14401000	Fits Flange To Flange 133 - 139"
150"	VSTK15001000	Fits Flange To Flange 139 - 145"
156"	VSTK15601000	Fits Flange To Flange 145 - 151"
162"	VSTK16201000	Fits Flange To Flange 151 - 157"
168"	VSTK16801000	Fits Flange To Flange 157 - 163"
174"	VSTK17401000	Fits Flange To Flange 163 - 169"
180"	VSTK18001000	Fits Flange To Flange 169 - 175"
186"	VSTK18601000	Fits Flange To Flange 175 - 181"
192"	VSTK19201000	Fits Flange To Flange 181 - 187"

SUPER SLIDE-OUT TOPPER KIT

**CENTER SUPPORT CRADLE REQUIRED
ON ALL APPLICATIONS 198" - 318"**

KIT INCLUDES: HARDWARE • BRACKETS • SPRINGS • ROLLER • FABRIC

STEP 1: SLIDE-OUT CRADLE REQUIRED

VA1007 Supports awning roller to eliminate sag for lengths greater than 192"



STEP 2: SELECT SUPER SLIDE-OUT TOPPER KIT SIZE

**AVAILABLE IN
SOLID BLACK
AND
SOLID WHITE
KITS**

Size	FLANGE FIT CHART	Size	FLANGE FIT CHART	Size	FLANGE FIT CHART
198"	Fits Flange To Flange 187 - 193"	240"	Fits Flange To Flange 229 - 235"	282"	Fits Flange To Flange 271 - 277"
204"	Fits Flange To Flange 193 - 199"	246"	Fits Flange To Flange 235 - 241"	288"	Fits Flange To Flange 277 - 283"
210"	Fits Flange To Flange 199 - 205"	252"	Fits Flange To Flange 241 - 247"	294"	Fits Flange To Flange 283 - 289"
216"	Fits Flange To Flange 205 - 211"	258"	Fits Flange To Flange 247 - 253"	300"	Fits Flange To Flange 289 - 295"
222"	Fits Flange To Flange 211 - 217"	264"	Fits Flange To Flange 253 - 259"	306"	Fits Flange To Flange 295 - 301"
228"	Fits Flange To Flange 217 - 223"	270"	Fits Flange To Flange 259 - 265"	312"	Fits Flange To Flange 301 - 307"
234"	Fits Flange To Flange 223 - 229"	276"	Fits Flange To Flange 265 - 271"	318"	Fits Flange To Flange 307 - 313"

Contact your Velarium Rep for part #'s for Slide-Out Toppers for 198" - 318".

CUT-TO-FIT SLIDE-OUT AWNING REPLACEMENT FABRICS



Compatible with competitive brands slide-outs awnings.



Constructed with heavy-duty, 13.5 ounce, 1000 denier count vinyl with sewn seams.



Comes in 200" or 600" rolls allowing you to cut to the appropriate size.



Fabric comes on plastic roll inside box for easy use.

	Description	Size	Color
VSTF20000	Cut-to-fit Slide-Out Replacement Fabrics	200'	Black
VSTF60000	Cut-to-fit Slide-Out Replacement Fabrics	600'	Black
VSTF20001	Cut-to-fit Slide-Out Replacement Fabrics	200'	White
VSTF60001	Cut-to-fit Slide-Out Replacement Fabrics	600'	White
VSTFCB	Cut-to-fit Slide-out topper Fabric Cutting Board	-	-

**For gray fabric options, please contact your sales representative.*

CUT-TO-FIT PATIO AWNING REPLACEMENT TUBES & FABRICS



FASTER REPAIRS

Build an awning roller assembly quickly.



EASIER TO STOCK

One tube kit covers multiple awning sizes.



STRONGER DESIGN


Engineered to be 5X stronger than traditional tubes.



CUT-TO-FIT CONVENIENCE

Trim tube and fabric to the exact length needed.

WHAT'S INCLUDED



Outer & Inner Roller Tubes

+



Light Rail

+



LED Lighting

+






End Caps

Awning Cradle included in 22' kits only

CUT-TO-FIT AWNING REPLACEMENT TUBES

	Description	Fits Awning Size	Color
VET014B	14' Cut-To-Fit Tube Kit Black	6' - 14'	Black
VET014W	14' Cut-To-Fit Tube Kit White	6' - 14'	White
VET022B	22' Cut-To-Fit Tube Kit Black	15' - 22'	Black
VET022W	22' Cut-To-Fit Tube Kit White	15' - 22'	White

CUT-TO-FIT AWNING REPLACEMENT FABRICS

Size	Black	White	Gray	Charcoal Fade	Charcoal Reverse Fade	Slate Blue Fade	Burgundy Fade	Dune Fade
	VAF022000	VAF022001	VAF022007	VAF022002	VAF022003	VAF022004	VAF022005	VAF022006
22'								

ADDITIONAL ACCESSORIES FOR AWNING SYSTEMS

STANDARD SWITCH ASSEMBLY

VA1001	Single awning switch assembly with bezel and harness
VA1002	Double awning switch assembly with bezel and harness



BUILD THE SHELF AROUND THE WAY RVERS SHOP.

Every RV journey brings a different need: cooler air, a cleaner roof, better airflow, reliable hot water, dependable heat, or the right replacement part at the right time. These zones bring common aftermarket solutions together in a clear, helpful way, making it easier for RVers to understand what they need and easier for dealers and distributors to support the products customers count on.



CLIMATE + COMFORT ZONE

Keep the cabin comfortable with Coleman-Mach essentials for airflow, control, startup support, replacement, and cleaner air.



ROOF CARE + REPAIR ZONE

Protect the roofline with Dicor solutions for cleaning, sealing, repairing, coating, and renewing RV roofs.



VENTILATION + SHADE ZONE

Bring in fresh air and better shade with Maxxair ventilation and Velarium awning solutions.



WATER HEATER + LP ZONE

Support everyday RV comfort with Suburban tankless water heaters, LP gas, regulator, hose, and fitting solutions.



For current availability, stocking programs, display support, and application questions, connect with your Airxcel sales contact.

WEBSITE + RESOURCE HUB

Need the latest product information, support documents, manuals, videos, training, or contact resources? Start at **AIRXCEL.COM** and connect directly to the brand you need.

EXPLORE BY BRAND.
SEARCH BY PRODUCT.
FIND SUPPORT.

BRAND RESOURCE DIRECTORY

COLEMAN-MACH

RV air conditioners, heat pumps, thermostats, ceiling assemblies, conversion kits, shrouds, filters, soft start kits, and climate-control accessories.

Where to go: Product information, Document Library, replacement tools, warranty resources, service support, and dealer/service locator.

MAXXAIR

RV ventilation solutions, rooftop fans, bathroom fans, vent covers, fan shades, MAXXFAN products, and ventilation accessories.

Where to go: Product information, installation instructions, parts lists, brochures, service support, and videos.

DICOR PRODUCTS

Roof membranes, roof coatings, cleaners, sealants, tapes, adhesives, repair kits, roof renewal products, RV care items, and surge protection.

Where to go: Product categories, aftermarket catalog, installation instructions, retail display packages, dealer resources, and support downloads.

INVISION

RV refrigerators, cooking appliances, range hoods, washers, dryers, water pumps, toilets, and interior appliance solutions.

Where to go: Product information, literature and technical documents, operation guides, video library, FAQs, service locator, tech support, and contact resources.

SUBURBAN

Tank water heaters, tankless water heating, furnaces, LP gas accessories, regulators, hoses, fittings, and entry-related products.

Where to go: Product information, literature and technical documents, document library, model-number resources, video library, warranty information, product training, and service locator.

VELARIUM

Powered awnings, awning accessories, replacement canopies, slide-out topper solutions, cut-to-fit awning products, light rail systems, and shade upgrades.

Where to go: Product information, owner resources, dealer/service resources, product support, training, and contact information.



ONE STARTING POINT. MANY WAYS TO KEEP THE JOURNEY MOVING.

Airxcel.com helps connect RV owners, dealers, distributors, and service teams with the brands and resources they need most.

HOW TO USE THIS CATALOG

This catalog is designed to help RV owners, dealers, distributors, and service teams quickly explore Airxcel aftermarket brands, product categories, replacement items, upgrades, and support resources.

**EXPLORE IT.
COMPARE IT.
CHOOSE IT.**

1. START WITH THE RV NEED

Looking for cooler air, better ventilation, roof care, hot water, heat, LP gas support, appliances, shade, steps, or replacement parts? Use the brand sections to narrow the search by product category and application.

2. CHECK THE DETAILS

Review model numbers, dimensions, compatibility notes, required accessories, and installation requirements before ordering, quoting, stocking, or servicing a product.

3. LOOK FOR REQUIRED COMPONENTS

Some systems may require additional controls, doors, panels, kits, hardware, thermostats, ceiling assemblies, or installation accessories. Check the related product listings before finalizing your selection.

4. CONNECT WITH SUPPORT

Need help finding the right product, confirming fit, checking availability, or locating additional resources? Visit [Airxcel.com](https://airxcel.com) and use the brand websites, support pages, document libraries, or contact forms to reach the right team.

NEED HELP?

For product questions, application support, service resources, stocking opportunities, or current availability, start at [Airxcel.com](https://airxcel.com) and connect with the brand that matches your product need.

**FIND IT.
CONFIRM IT.
CONNECT WITH SUPPORT.**

HELPFUL INFORMATION TO HAVE READY:

1. Brand or product category
2. Model number or part number
3. RV year, make, and model, if applicable
4. Photos of the product, label, install area, or issue
5. A brief description of what you are trying to replace, repair, upgrade, or confirm

The more details you have, the faster the right team can help point you toward the right solution.



ONE CATALOG. A CLEARER PATH FOR WHAT COMES NEXT.

From product discovery to support resources, this guide helps connect the right questions with the right Airxcel aftermarket brand.



READY FOR THE NEXT STOP!

From the roofline to the entry step, from airflow to hot water, from shade to service parts, Airxcel aftermarket brands help support the products RVers depend on long after the first trip begins.

Whether you are stocking the shelf, building a display, guiding a customer, or upgrading your own RV, this catalog is your quick-reference guide to trusted solutions across the Airxcel family of brands.

Visit airxcel.com or contact your Airxcel sales representative for current product availability, program details, ordering support, and brand resources.

AIRXCEL GLOBAL MARKETING

3050 N. St. Francis Street
Wichita, KS 67219
316.832.3400
www.airxcel.com

Specifications, features, and availability are subject to change without notice. Airxcel and the Airxcel family of brands are not responsible for printing errors or omissions. Images may be representative and may not reflect the latest product updates. Please consult your sales representative or visit our website for the most current information.

© 2026 AIRXCEL, INC. All rights reserved. All information presented herein is subject to change without notice.

AXL-40436.01 | 09/09/2026