













CLEER VISION
WINDOWS

MCD

MAX AIR

CLEER VISION
TEMPERED GLASS

FORMA

CLEER VISION
DOORS

 **InVision**

 **Solace**

NEW CUT-TO-FIT AWNING ROLLER TUBE



Complete Kit – Outer Tubes, Light Rail, End Caps and LED Light Strand

- Available in 22' and 14' lengths with Black or White End Caps
- VET014B or VET014W – 14' Kits
- VET022B or VET022W – 22' Kits – Includes awning cradle





Advantages of Tube Kits

- Save time and money
- Being able to install complete patio awning same day service
- Simplifies working on reconditioned units
- Simplifies working on used/trade-ins
- Eliminates high freight cost
- Provides immediate gratification for customer
- Maximizes space in DC's and dealerships
- Make it easier to sell to mobile techs
- Have every size awning roller needed on hand, everyday



Outer Tubes



 Aqua-Hot.

Coleman-Mach

 Suburban

Can

 dicor products

 united shade

 vixen composites

 InVision

CLEER VISION
WINDOWS

MCD

 VELARIUM

CLEER VISION
DOORS


FORMA

 Solace

MAX AIR

CLEER VISION
TEMPERED GLASS

Inner Tubes




Assembling Inner and Outer





Adding 2 Outers and 1 Inner



 Aqua-Hot.

Coleman-Mach

 Suburban

Can

 dicor products

 united shade

 vixen composites

 InVision

CLEER VISION
WINDOWS

MCD

 VELARIUM

CLEER VISION
DOORS

FORMA

 Solace

MAX AIR

CLEER VISION
TEMPERED GLASS

Recommended saw to use:

- Chop Saw
- Band Saw
- Hack Saw

Tube Assembly

Assembly Instructions

- This awning comes in four kits; the following instructions apply to **all kit variations**.
- Each kit includes a fully assembled roll tube, either **22 feet** or **14 feet** in length. These tubes are designed to be trimmed in **1-foot or 6-inch** segments to match your desired awning size.

Adjusting the Awning Tube Length

- To create a **19' awning** from a 22' kit (Kit #VET022B or VET022W), cut **3 feet** from one end of the tube and assemble as normal.
- Each inner tube measures **3 feet**. Mark it at **1'6"**, then insert it into the outer tube up to that mark.

NOTE: Inner tubes are directional. If it doesn't insert smoothly, rotate it 180° and try again. (See Figure 3 below for reference.)



Figure 3

Securing the Tubes

- Use a **#2 square bit** to install screws:
- On the flat side of the outer tube, install two screws per flat surface:
 - One screw 4 inches from the end
 - One screw 16 inches from the end
- Repeat this process for both outer tubes when using Kit #VET022B/VET022W.

Cutting Instructions for Custom Sizes

Kit #VET022B/VET022W:

- To make a 15', 16', or 17' awning, you will need to cut two of the outer tubes accordingly.

Kit #VET014B/VET014W:

- For 8', 9', or 10' awning sizes, make two cuts to the outer tubes.
- See the chart below for recommended cutting measurements.

Cuts for Kit # VET022B/VET022W	
Awning Size	Cut, Total
15' Awning	Cut 42" from two tubes, totaling 7'
16' Awning	Cut 36" from two tubes, totaling 6'
17' Awning	Cut 30" from two tubes, totaling 5'

Cuts for Kit # VET014B/VET014W	
Awning Size	Cut, Total
8' Awning	Cut 36" from two tubes, totaling 6'
9' Awning	Cut 30" from two tubes, totaling 5'
10' Awning	Cut 24" from two tubes, totaling 4'

Awning Size	Cut, Total
21' Awning	Cut 12" from one tube
20' Awning	Cut 24" from two tube
19' Awning	Cut 36" from two tube
18' Awning	Cut 48" from one tube
13' Awning	Cut 12" from one tube
12' Awning	Cut 24" from one tube
11' Awning	Cut 36" from one tube

Combined Components

- 5 Times stronger than traditional tube
- Freight cost is 20% of traditional awning tube shipping
- 10-15 minutes to build the tube
- Need to order replacement canopy to go with it (Velarium boxed – dropship canopies) NEW Cut-to-fit awning fabric coming soon
- Available in 22' and 14' Cut-to-fit sizes
- Included in 22' kit – 3 outer tubes, 2 inner tubes, light rail, end caps, cradle and LED Lighting
- Included in 14' kit – 2 outer tubes, 1 inner tubes, light rail, end caps and LED Lighting
- Each outer tube section is 7'4"
- Each inner tube is 3'

