UNITEDCOVERS

Premium RV Cover Protection

2026 EDITION



RV COVERS CATALOG

5-LAYER COVER· PREMIUM ALL-WEATHER PROTECTION







5-Layer Roof | 3-Layer Sidewalls | Breathable Design | Free Shipping | Lifetime Warranty

✓ Free Shipping Across Canada & the U.S. · ✓ Lifetime Warranty · ✓ Built for Dealers. Built to Sell.

One Premium RV Cover Line.
Less Confusion. Stronger Selling.

TABLE OF CONTENTS

How to Measure Your RV	pg. 3
5-Layer Cover Fabric Overview	pg. 4
Key Features	pg. 5
Class A RV Covers	pg. 6
Class B RV Covers	pg. 7
Class C RV Covers	pg. 8
Travel Trailer Covers	pg. 9
Fifth Wheel Covers	pg. 10
Folding Pop-Up Camper Covers	pg. 11
Truck Camper Covers	pg. 12
Teardrop Trailer Covers	pg. 13
Installation Guide	pg. 14
RV Accessories	pg. 15
Dealer Ordering & Support	pg. 16

UnitedCovers simplifies the RV cover conversation with one premium B2B RV solution: United's 5-Layer Cover. Designed for all-weather storage protection, it gives dealers a high-confidence product that is easier to explain, easier to merchandise, and easier to sell.



5-Layer Protection | **Free Shipping** | **Lifetime Warranty**

WHAT'S IN THE BOX

- ✓ Gold Shield 5L RV Cover
- ✓ Adjustable Cinch Strap System
- ✓ Weighted Toss-Under Buckles
- ✓ Storage Carry Bag

How to Measure Each Type of RV, Trailer and Camper

Measure from the longest point to the longest point — bumpers, spare tire, ladder — excluding hitch. Do not rely on the manufacturer's stated model length. Rooftop accessories (vents, A/C) are already accommodated.



CLASS A

Length: Taken by measuring the furthest two points from front to rear of RV. Be sure to include bumpers, spare tire and ladder. For Class A motorhomes, measure to the bunk area or the very front of the bumper, whichever is furthest.

Height: Taken by measuring RV sidewalls from top of the roof down to the outside frame. Be sure to exclude ground clearance, A/C units, vents, and any roof-mounted accessories.



CLASS B

Length: Taken by measuring the furthest two points from front to rear of RV. Be sure to include bumpers, spare tire and ladder. For Class A motorhomes, measure to the bunk area or the very front of the bumper, whichever is furthest.

Height: Taken by measuring RV sidewalls from top of the roof down to the outside frame. Be sure to exclude ground clearance, A/C units, vents, and any roof-mounted accessories.
With Class B vans, include bubble height (measured from the very top of the van to the natural roofline of the van).



CLASS C

Length: Taken by measuring the furthest two points from front to rear of RV. Be sure to include bumpers, spare tire and ladder. For Class A motorhomes, measure to the bunk area or the very front of the bumper, whichever is furthest.

Height: Taken by measuring RV sidewalls from top of the roof down to the outside frame. Be sure to exclude ground clearance, A/C units, vents, and any roof-mounted accessories.

How to Measure Each Type of RV, Trailer and Camper

Measure from the longest point to the longest point — bumpers, spare tire, ladder — excluding hitch. Do not rely on the manufacturer's stated model length. Rooftop accessories (vents, A/C) are already accommodated.



TRAVEL TRAILER

Length: Taken by measuring the furthest two points from front to rear of trailer, including bumpers, spare tire, and ladder. **Always exclude the hitch and tongue**.

Height: Taken by measuring trailer sidewalls from top of the roofline to the outside frame, remembering not to stop at the top of wheel well. As always, exclude ground clearance, A/C units, vents, and any roof-mounted accessories.



FIFTH WHEEL

Length: Taken by measuring the furthest two points from front to rear of trailer. For a fifth wheel, measure from the rear including bumper, spare tire and ladder, until the furthest point on the nose of the trailer coach. **Always exclude the hitch and tongue**.

Height: Taken by measuring trailer sidewalls from top of the roofline down to the outside frame. Never stopping at the top of the wheel well! Also exclude ground clearance, A/C units, vents, and any roof-mounted accessories.



FOLDING POPUP

Length: Taken by measuring the furthest two points from front to rear of camper, including the spare tire and ladder. Remember to exclude the hitch and tongue of the camper!

Height: Taken by measuring camper sidewalls from top of roofline to the outside frame. Exclude ground clearance, A/C units, vents, and any roof-mounted accessories. If there is an air conditioner, and your height measurement (excluding the A/C unit) is within 4 inches of the higher end of the length range given, we recommend that you choose the next size up.

How to Measure Each Type of RV, Trailer and Camper

Measure from the longest point to the longest point — bumpers, spare tire, ladder — excluding hitch. Do not rely on the manufacturer's stated model length. Rooftop accessories (vents, A/C) are already accommodated.



TRUCK CAMPER

Length: Taken by measuring from the furthest two points of camper, including bumpers and ladder. For a camper with a rounded nose, measure from the furthest point forward on the nose.

Height: Taken by measuring camper sidewalls from top of the roofline to the outside frame. Exclude ground clearance, A/C units, vents, and any roof-mounted accessories.

If total length of you truck camper is under 216", you will need Truck Camper 8' to 10'

If total length of you truck camper is under 238", you will need Truck Camper 10' to 12'



TEARDROP

Length: Taken by measuring the furthest two points from front to rear of camper, including bumpers, spare tire, and ladder. With these campers, exclude the hitch and tongue.

Height: Taken by measuring camper sidewalls from top of the roofline to the outside frame, remembering not to stop at the top of wheel well. As always, exclude ground clearance, A/C units, vents, and any roof-mounted accessories.

FREQUENTLY ASKED QUESTIONS

Why should I measure my RV instead of using manufacturer specifications? Manufacturer dimensions may not account for external accessories such as ladders or spare tires.

Should I size up if my RV falls on the border of two cover sizes? No, most covers include extra fabric, so choose the smaller size if your RV falls on the border.

Can I use a generic tarp instead of an RV cover? No, a generic tarp does not provide breathability, which can lead to moisture buildup and mold.

5-Layer Cover — Multi-Layer All-Season Defense



United's 5-Layer RV Cover

Ultimate 5-Layer, All-Weather Protection

5-LAYER ROOF

- Layer 1 · Polypropylene PLUS (Outer)
- Layer 2 · Polypropylene PLUS
- Layer 3 · Micro-Porous Film (Breathable)
- Layer 4 · Polypropylene PLUS
- Layer 5 · Polypropylene PLUS (Inner)

3-LAYER SIDEWALLS

- Layer 1 · Polypropylene PLUS (Outer)
- Layer 2 · Micro-Porous Film (Breathable)
- Layer 3 · Polypropylene PLUS (Inner)

PROTECTS AGAINST:

PRODUCT FEATURES:

5-Layer Roof | 3-Layer Sidewalls | Breathable Design | UV Protection | Wind-Resistant Hardware | Lifetime Warranty

Featuring a five-layer roof and three-layer breathable sidewalls, the 5-Layer Cover stops snow, ice, rain, dust, and UV rays in their tracks — while allowing air and vapor to pass freely through the micro-porous film to eliminate condensation. Backed by a LIFETIME Warranty.

WHAT'S IN THE BOX (INCLUDED):

- ✓ Quick Repair Patch Kit
- ✓ Ladder Cap Cover
- ✓ Rain Gutter Protector Covers
- ✓ Storage Carry Bag



Built to Protect Better, Fit Better, and Last Longer







Heavy-Duty 5-Layer Roof

Five bonded layers — four of rugged Polypropylene PLUS plus one micro-porous film — block moisture, reflect heat, and resist UV.

Triple-Layer Sidewalls

Two layers of PP PLUS and breathable film resist wind-driven rain, sand, and debris across all side panels.

Breathable Micro-Porous Film

Releases trapped heat and vapor to prevent rot, mildew, condensation, and oxidation during storage.

Slip-Seam Strap System

Conforms to RV shape and minimizes billowing — adjustable front, rear, and bottom cinch straps with weighted buckles.

Zippered Access Panels

Heavy-duty side zippers give access to doors and storage bays without removing the cover.

98% Dirt & Dust Rejection

Stops abrasive particles that scratch gel-coat, graphics, and window seals.

Extended Roof Drop

Top panel wraps down sides and ends for extra coverage at high-impact zones.

Reinforced Construction

Double stitching, bar-tacks, and heavy-duty buckles resist tears, snags, and long-term wear.

UV Sun Inhibitor Treatment

Reflects heat, lowers interior temps, and slows fading for better long-term appearance.

Built-In Air Vents

Improves airflow, reduces lofting, and high-visibility reflective trim adds safety in low light.

CLASS A RV COVERS

5-Layer · All-Weather Premium Protection

Protect Large Class A Motorhomes with Premium Long-Term Storage Defense

Built for the largest motorhomes on the road, 5-Layer Class A Covers provide premium all-weather protection for long-term storage. Five-layer roof and breathable triple-layer sides defend against rain, snow, UV, dust, and seasonal wear.

BEST FOR:

Long-term outdoor storage · High UV exposure regions
Heavy snow & rain climates · High-value coach protection



UNITEDCOVERS®







AVAILABLE SIZES

SKU	RV LENGTH / SIZE	COVER DIMENSIONS (L x W x H)
5RV-CA-1820	Class A · 18' To 20'	(L x W x H): 20'5" x 8'9" x 10'1"
5RV-CA-2024	Class A · 20' To 24'	(L x W x H): 24'5" x 8'9" x 10'1"
5RV-CA-2428	Class A · 24' To 28'	(L x W x H): 28'5" x 8'9" x 10'1"
5RV-CA-2830	Class A · 28' To 30'	(L x W x H): 30'5" x 8'9" x 10'1"
5RV-CA-3033	Class A · 30' To 33'	(L x W x H): 33'5" x 8'9" x 10'1"
5RV-CA-3337	Class A · 33' To 37'	(L x W x H): 37'5" x 8'9" x 10’1”
5RV-CA-3740	Class A · 37' To 40'	(L x W x H): 40'5" x 9'0" x 10'3"
5RV-CA-4044	Class A · 40' To 44'	(L x W x H): 44'5" x 9'2" x 10'8"

MEASUREMENTS

Length: Taken by measuring the furthest two points from front to rear of RV. Be sure to include bumpers, spare tire and ladder. For Class A motorhomes, measure to the bunk area or the very front of the bumper, whichever is furthest.

Height: Taken by measuring RV sidewalls from top of the roof down to the outside frame. Be sure to exclude ground clearance, A/C units, vents, and any roof-mounted accessories.



CLASS B RV COVERS

5-Layer · Compact Motorhome Protection

Premium Protection for Camper Vans and Compact Motorhomes

5-Layer Class B Covers are engineered for van-based motorhomes, combining breathable all-weather defense with a more tailored fit for compact coach bodies. Easy to install, easy to explain to customers.

BEST FOR:

Camper vans & van conversions · Outdoor & driveway storage
Compact premium RVs · Dealer add-on sales opportunity



UNITEDCOVERS®







AVAILABLE SIZES

SKU	RV LENGTH / SIZE	COVER DIMENSIONS (L x W x H)
5RV-CB-1820	Class B · 18' To 20'	20'5" x 7'1" x 8'1"
5RV-CB-2022	Class B · 20' To 22'	22'5" x 7'1" x 8'1"
5RV-CB-2224	Class B · 22' To 24'	24'5" x 7'1" x 8'1"
5RV-CB-2426	Class B · 24' To 26'	26'5" x 7'1" x 8'1"

MEASUREMENTS

Length: Taken by measuring the furthest two points from front to rear of RV. Be sure to include bumpers, spare tire and ladder. For Class A motorhomes, measure to the bunk area or the very front of the bumper, whichever is furthest.

Height: Taken by measuring RV sidewalls from top of the roof down to the outside frame. Be sure to exclude ground clearance, A/C units, vents, and any roof-mounted accessories.
With Class B vans, include bubble height (measured from the very top of the van to the natural roofline of the van).



CLASS C RV COVERS

5-Layer · Cab-Over Motorhome Protection



Shield Class C Motorhomes from Year-Round Exposure

The 5-Layer Class C Cover is engineered to protect cab-over motorhomes from top to bottom. Breathable multi-layer construction and reinforced attachment points preserve paint, graphics, seals, and roof surfaces during storage.

BEST FOR:

Class C cab-over motorhomes · Rain, sun & dust protection
Seasonal & long-term storage

UNITEDCOVERS®







AVAILABLE SIZES

SKU	RV LENGTH / SIZE	COVER DIMENSIONS (L x W x H)
5RV-CC-1820	Class C · 18' To 20'	(L x W x H): 20'5" x 8'8" x 9'1"
5RV-CC-2023	Class C · 20' To 23'	(L x W x H): 23'5" x 8'8" x 9'1"
5RV-CC-2326	Class C · 23' To 26'	(L x W x H): 26'5" x 8'8" x 9'1"
5RV-CC-2629	Class C · 26' To 29'	(L x W x H): 29'5" x 8'8" x 9'1"
5RV-CC-2932	Class C · 29' To 32'	(L x W x H): 32'5" x 8'8" x 9'1"
5RV-CC-3235	Class C · 32' To 35'	(L x W x H): 35'5" x 8'8" x 9'1"

MEASUREMENTS

Length: Taken by measuring the furthest two points from front to rear of RV. Be sure to include bumpers, spare tire and ladder. For Class A motorhomes, measure to the bunk area or the very front of the bumper, whichever is furthest.

Height: Taken by measuring RV sidewalls from top of the roof down to the outside frame. Be sure to exclude ground clearance, A/C units, vents, and any roof-mounted accessories.



TRAVEL TRAILER COVERS

5-Layer · Towable Protection

Give Travel Trailers the Heavy-Duty Coverage They Need Most

The 5-Layer Travel Trailer Covers protect towable RVs from front cap to rear bumper during long-term storage. The extended roof drop and secure strap system reduce wear in areas most exposed to weather and wind.

BEST FOR:

Conventional travel trailers · Seasonal outdoor storage
High-volume dealer category









UNITEDCOVERS®

AVAILABLE SIZES

SKU	RV LENGTH / SIZE	COVER DIMENSIONS (L x W x H)
5RV-TT-1416	Travel Trailer · 14' To 16'	(L x W x H): 16'5" x 8'6" x 8'8"
5RV-TT-1618	Travel Trailer · 16' To 18'	(L x W x H): 18'5" x 8'6" x 8'8"
5RV-TT-1820	Travel Trailer · 18' To 20'	(L x W x H): 20'5" x 8'6" x 8'8
5RV-TT-2022	Travel Trailer · 20' To 22'	(L x W x H): 22'5" x 8'6" x 8'8"
5RV-TT-2224	Travel Trailer · 22' To 24'	(L x W x H): 24'5" x 8'6" x 8'8"
5RV-TT-2427	Travel Trailer · 24' To 27'	(L x W x H): 27'5" x 8'6" x 8'8"
5RV-TT-2730	Travel Trailer · 27' To 30'	(L x W x H): 30'5" x 8'6" x 8'8"
5RV-TT-3033	Travel Trailer · 30' To 33'	(L x W x H): 33'5" x 8'6" x 8'8"
5RV-TT-3335	Travel Trailer · 33' To 35'	(L x W x H): 35'5" x 8'6" x 8'8"
5RV-TT-3538	Travel Trailer · 35' To 38'	(L x W x H): 38'5" x 8'6" x 8'8"
5RV-TT-3842	Travel Trailer · 38' To 42'	(L x W x H): 42'5" x 8'8" x 9'2"

FIFTH WHEEL COVERS

5-Layer · Large Towable Protection

Secure Premium Protection for Larger Towables and Overhang Zones

The 5-Layer Fifth Wheel Cover delivers premium protection for large towable units, including critical upper-overhang zones. Reinforced multi-layer construction shields from harsh storage conditions while maintaining a secure, shaped fit.

BEST FOR:

Fifth wheel trailers · Premium high-value customers
Large towables · Heavy weather exposure regions









UNITEDCOVERS®

AVAILABLE SIZES

SKU	RV LENGTH / SIZE	COVER DIMENSIONS (L x W x H)
5RV-5WT-2023	Fifth Wheel · 20' To 23'	(L x W x H): 23'5" x 8'6" x 10'1"
5RV-5WT-2326	Fifth Wheel · 23' To 26'	(L x W x H): 26'5" x 8'6" x 10'1"
5RV-5WT-2629	Fifth Wheel · 26' To 29'	(L x W x H): 29'5" x 8'6" x 10'1"
5RV-5WT-2933	Fifth Wheel · 29' To 33'	(L x W x H): 33'5" x 8'6" x 10'1"
5RV-5WT-3337	Fifth Wheel · 33' To 37'	(L x W x H): 37'5" x 8'6" x 10'1"
5RV-5WT-3741	Fifth Wheel · 37' To 41'	(L x W x H): 41'5" x 8'6" x 10'1"
5RV-5WT-4145	Fifth Wheel · 41' To 45'	(L x W x H): 45'5" x 8'6" x 10'1"

MEASUREMENTS

Length: Taken by measuring the furthest two points from front to rear of trailer. For a fifth wheel, measure from the rear including bumper, spare tire and ladder, until the furthest point on the nose of the trailer coach. **Always exclude the hitch and tongue**.

Height: Taken by measuring trailer sidewalls from top of the roofline down to the outside frame. Never stopping at the top of the wheel well! Also exclude ground clearance, A/C units, vents, and any roof-mounted accessories.



FOLDING POP-UP CAMPER COVERS

5-Layer · Compact Camper Protection

Compact Units Still Need Serious Weather Protection

Compact in size but exposed to the same harsh conditions, folding pop-up campers deserve the same premium protection standard. 5-Layer Folding Covers defend against rain, UV, dirt, and long-term storage wear.

BEST FOR:

Folding campers & tent trailers · Compact outdoor storage
Entry-level to premium segment









UNITEDCOVERS®

AVAILABLE SIZES

SKU	RV LENGTH / SIZE	COVER DIMENSIONS (L x W x H)
5FC-0608	Folding Pop-Up · 6' To 8'	20'5" x 7'2" x 3'8"
5FC-0810	Folding Pop-Up · 8' To 10'	20'5" x 7'2" x 3'8"
5FC-1012	Folding Pop-Up · 10' To 12'	20'5" x 7'2" x 3'8"
5FC-1214	Folding Pop-Up · 12' To 14'	20'5" x 7'2" x 3'8"
5FC-1416	Folding Pop-Up · 14' To 16'	20'5" x 7'2" x 3'8"
5FC-1618	Folding Pop-Up · 16' To 18'	20'5" x 7'2" x 3'8"
5FC-1820	Folding Pop-Up · 18' To 20'	20'5" x 7'2" x 3'8"

MEASUREMENTS

Length: Taken by measuring the furthest two points from front to rear of camper, including the spare tire and ladder. Remember to exclude the hitch and tongue of the camper!

Height: Taken by measuring camper sidewalls from top of roofline to the outside frame. Exclude ground clearance, A/C units, vents, and any roof-mounted accessories. If there is an air conditioner, and your height measurement (excluding the A/C unit) is within 4 inches of the higher end of the length range given, we recommend that you choose the next size up.



TRUCK CAMPER COVERS

5-Layer · Truck-Mounted Camper Protection

Protect Truck Campers with a Secure, Heavy-Duty Storage Fit

The 5-Layer Truck Camper Cover protects camper bodies from prolonged outdoor exposure with premium breathable construction, reinforced hardware, and a secure fitted hold for stored or ground-based storage.

BEST FOR:

Truck-mounted campers · Compact premium units
Outdoor & ground storage









UNITEDCOVERS®

AVAILABLE SIZES

SKU	RV LENGTH / SIZE	COVER DIMENSIONS (L x W x H)
5RV-TC-0810	Truck Camper · 8' To 10'	18'0" x 9'0" x 8'0"
5RV-TC-1012	Truck Camper · 10' To 12'	19'8" x 9'0" x 8'8"

MEASUREMENTS

Length: Taken by measuring from the furthest two points of camper, including bumpers and ladder. For a camper with a rounded nose, measure from the furthest point forward on the nose.

Height: Taken by measuring camper sidewalls from top of the roofline to the outside frame. Exclude ground clearance, A/C units, vents, and any roof-mounted accessories.



If total length of you truck camper is under 216", you will need Truck Camper 8' to 10'

If total length of you truck camper is under 238", you will need Truck Camper 10' to 12'

TEARDROP TRAILER COVERS

5-Layer · Compact Adventure Trailer Protection

Premium Protection for Small Towables and Compact Adventure Units

Small trailers still need serious protection. 5-Layer Teardrop Covers shield compact units from rain, UV, dust, and storage damage with the same premium multi-layer construction used across the entire UnitedCovers line.

BEST FOR:

Teardrop trailers · Compact lightweight towables
Premium adventure segment



UNITEDCOVERS®







AVAILABLE SIZES

SKU	RV LENGTH / SIZE	COVER DIMENSIONS (L x W x H)
5RV-TD-1013	Teardrop · Up to 13'7"	13'5" x 7'0" x 7'7"
5RV-TD-1316	Teardrop · Up to 16'2"	16'2" x 7'0" x 7'7"
5RV-TD-1711	Teardrop · Up to 17'7"	17'5" x 7'0" x 7'7"
5RV-TD-1722	Teardrop · Up to 17'7" with Rear Door	17'5" x 7'0" x 7'7"

MEASUREMENTS

Length: Taken by measuring the furthest two points from front to rear of camper, including bumpers, spare tire, and ladder. With these campers, exclude the hitch and tongue.

Height: Taken by measuring camper sidewalls from top of the roofline to the outside frame, remembering not to stop at the top of wheel well. As always, exclude ground clearance, A/C units, vents, and any roof-mounted accessories.



Easy to Install. Easy to Explain. Easy to Support.

UnitedCovers RV covers are designed to be secure, durable, and dealer-friendly to explain. Full category-specific guides are available at rvcover.ca.



1

Identify the Front

Locate the tag marked **"FRONT"** to identify the cover's orientation.



2

Position Over Roof

Stand behind the RV, unfold, and drape the cover centered over the roof.



3

Pull Down Evenly

Pull both sides down evenly from front to back for consistent, full coverage.



4

Secure the Straps

Thread and fasten all front, rear, and bottom straps. Cinch firmly without overtightening.



5

Adjust the Fit

Fine-tune all straps. Elasticized corners should be snug and wind-resistant.



6

Access Panels

Use heavy-duty zippered panels to reach doors or storage without removing the cover.

Full installation guides available per RV category at UnitedCovers.com

Complete the Storage Setup with High-Value RV Accessories

Pair every cover sale with storage and stabilization accessories. Complete the protection package — and increase basket size.



RV Cover Repair Patch

SKU: RV-PATCH



Rain Gutter Protectors (4-Pack)

SKU: 4xRV-RAIN-GUTTERS



Wheel Leveling Pads 14"×12" (2-Pc)

SKU: CJ-984



RV Leveling Blocks & Ramp Kit – 32" (2-Pack)

SKU: CJ-895



Adjustable Stabilizer Jacks (4-Pack) 6,000 lbs

SKU: CJ-759



RV Wheel Dock 14"×12" (1-Pack)

SKU: CJ-261



RV Stabilizer Leveling Scissor Jacks w/ Handle (2.5 Ton)

SKU: CJ-084



X-Shape Wheel Chock Stabilizer

SKU: CJ-074



Stabilizer Jack Pads 6"×6" (4-Pack)

SKU: CJ-048



Tire Saver Ramps w/ Anti-Slip (4-Pack)

SKU: CJ-953

Explore our New Brand: BULLSARMOR.com

BullsArmor® is an automotive tools & accessories online retailer specializing in jacks and creepers













Increase basket size — pair every cover sale with practical storage and stabilization accessories.

Built for Dealer Simplicity from Order to Delivery





DEALER PROGRAM HIGHLIGHTS

- Gold Shield 5L premium RV covers — one line, maximum clarity
- Free shipping across Canada and the U.S. on all orders
- Dealer portal ordering — fast, simple, fully trackable
- PO ordering available for all dealer accounts
- Bulk order support with volume pricing tiers
- Lifetime Warranty on all Gold Shield 5L covers

4-STEP ORDERING FLOW

1 — Measure the RV

Measure from the longest point. Note the RV category type.

2 — Match Category & SKU

Use the SKU tables in this catalog to select the right cover.

3 — Order by Portal or PO

Submit via the dealer portal or place a standard PO.

4 — Ship to Dealer or Customer

Free shipping on all orders across Canada & the U.S.

Volume pricing tiers apply based on total annual units. Drop-ship and bulk order options available. Contact your UnitedCovers rep for full pricing details.

DEALER SUPPORT: support@unitedcovers.com · united@unitedcovers.com · +1 (800) 528-4466

UNITEDCOVERS®



Your Adventure.

Our Protection.

UnitedCovers' 5-Layer RV Covers deliver premium all-weather protection for RV owners who expect more and dealers who want a simpler, stronger product to sell.

UNITED COVERS

UNITEDCOVERS.COM · Free Shipping Canada & U.S. · Lifetime Warranty · 5-Layer